CITY OF MAPLE GROVE PLANNING COMMISSION AGENDA MAY 10, 2021 7:00 P.M.



Due to the COVID-19 pandemic, the Maple Grove Planning Commission is transitioning to an online format for planning commission meetings. Appropriate City of Maple Grove staff and the City Attorney will also be attending online.

For items with a public hearing, comments may be submitted online at https://forms.maplegrovemn.gov/Forms/public-comment and will be read during the public hearing.

If you desire to speak at the meeting contact Community & Economic Development at 763-494-6040.

1. **OPENING BUSINESS**

- A. Call to Order
- B. Pledge of Allegiance
- C. Roll Call

2. **ADDITIONS OR DELETIONS TO AGENDA**

Any Commissioner who wishes to delete item(s) from the Consent Agenda or add item(s) to the agenda shall move that at this time.

- 3. <u>CONSENT ITEMS</u> All matters listed under Consent Items are considered to be routine by the Planning Commission and will be enacted by one motion and in the form listed below. There may be an explanation, but no separate discussion on these items. If discussion is desired, that item will be removed from the Consent Items and will be considered separately.
 - A. Minutes Regular Meeting April 26, 2021
 - B. Crew Carwash TABLED to Tuesday, June 1, 2021, Planning Commission meeting. (PH)

Crew Carwash Inc.

13370 Grove Drive North

Planned Unit Development (PUD) non-residential concept stage plan amendment and development stage plan for the purpose of constructing a carwash.

Received 04/08/2021, Jesse Corrow

4. **CONSIDERATION OF ITEMS PULLED FROM THE AGENDA**

5. <u>UPDATE ON CITY COUNCIL MEETING</u>

6. **OLD BUSINESS**

No items to present.

7. **NEW BUSINESS**

A. Abor Lakes Business Park Phase 2

Endeavor Development

Zachary Lane North and Fountains Drive North, Outlot B

Planned Unit Development (PUD) non-residential development stage plan and final plat for the purpose of constructing a 221,549 square foot building with associated parking and loading docks.

Received 03/29/2021, Brett Angell

B. MHV Housing 55+

Roers Investments

Grove Circle North and 99th Place North

Planned Unit Development (PUD) residential development stage plan and final plat for the purpose of constructing 169-unit market rate active 55+ rental housing development.

Received 04/12/2021, Peter Vickerman

PH C. Village Arbor Lakes Senior Housing

Doran Properties Group, LLC

Planned Unit Development (PUD) residential concept stage plan amendment, development stage plan amendment and final plat for the purpose of constructing a 201-unit senior building to provide both independent, assisted living and memory care.

Received 04/12/2021, Peter Vickerman

8. <u>ADJOURNMENT</u> – All items acted on by the Planning Commission will be forwarded to the City Council for action at their next regularly scheduled meeting.

Consent Items

<u>DRAFT</u> – MAPLE GROVE PLANNING COMMISSION April 26, 2021

CALL TO ORDER

A meeting of the Maple Grove Planning Commission was held at 7:00 p.m. on April 26, 2021 at the Maple Grove City Hall, Hennepin County, Minnesota. Chair Lamothe called the meeting to order at 7:00 p.m.

PLEDGE OF ALLEGIANCE

ROLL CALL

Planning Commission members present were Chair Craig Lamothe, Chris Ayika, Lorie Klein, Susan Lindeman, Chuck Lenthe, Michael Ostaffe, and Joe Piket. Present also were Karen Jaeger, City Council Liaison; Joe Hogeboom, Community and Economic Development Director; Peter Vickerman, Planning Manager; and Scott Landsman, City Attorney.

ITEMS TO BE REMOVED FROM THE AGENDA

None.

CONSENT ITEMS

The following Consent Items were presented for the Commission's approval:

MINUTES

A. Regular Meeting – April 12, 2021

Motion by Commissioner Lenthe, seconded by Commissioner Picket, to approve the Consent Items as presented. Upon call of the motion by Chair Lamothe, there were seven ayes and no nays. Motion carried.

CONSIDERATION OF ITEMS PULLED FROM CONSENT AGENDA

None.

REVIEW OF THE CITY COUNCIL MINUTES FROM Mr. Hogeboom reviewed with the Commission what items the City Council approved that was given direction at the Planning Commission level. It was noted the Council held a worksession last week to discuss the design of Main Street.

Maple Grove Planning Commission April 26, 2021 Page 2

THEIR REGULAR MEETING OF APRIL 19, 2021

OLD BUSINESS

NEW BUSINESS

PUBLIC HEARING

THE GROVE 15500 GROVE CIRCLE NORTH

AFFORDABLE FITNESS GROUP 2, LLC

PLANNED UNIT
DEVELOPMENT
(PUD)
DEVELOPMENT
STAGE PLAN AND
FINAL PLAT FOR
THE PURPOSE OF
CONSTRUCTING A
30,000 SQUARE
FOOT FITNESS
CENTER

No items to present.

Mr. Vickerman stated the applicant is requesting a development stage plan and final plat for the purpose of adding a 30,000 square foot fitness center to the inline retail section of The Grove development. The building is proposed to be constructed directly adjacent to the Slumberland building and will occupy a portion of the undeveloped strip of land in between there and the Haskell's building. Staff reported the inline retail area of The Grove was originally planned to provide a transition between smaller scale retail vendors and office uses identified as "The Village" and the large scale "box" retailers such as Target and Home Depot. The addition of a fitness center at the proposed location is consistent with the approved concept plan and The Grove development overall. The replatting of this lot separates a parcel from the existing parcel so that the corresponding tenant retains ownership, while the remaining property is intended to have multiple users as the retail area fills in. The architecture of the building was reviewed with the Commission and it was noted the exterior design would be consistent with the surrounding buildings.

Mr. Vickerman explained access to the site will utilize existing drive aisles from south along Grove Circle, with east and west connections to the nearby Target and Home Depot parking fields. The onsite parking is sufficient and will remain largely unchanged, with accessible parking stalls added near the building's entrance. The proposed fitness center is an appropriate use for this location and a welcomed addition to The Grove retail area. Staff supports a recommendation of approval for this project.

STAFF RECOMMENDATION:

Motion to recommend that the City Council direct the City Attorney to draft a Resolution and a Planned Unit Development agreement approving The Grove 15500 Grove Circle North PUD non-residential development stage plan and final plat, subject to:

1. The applicant addressing to the satisfaction of the city

any remaining applicable comments contained in the memorandums from:

- a. The Community & Economic Development Department dated April 12, 2021
- b. The Water Resources Department dated April 9, 2021

The applicant shall acknowledge that Park Dedication requirements are based on staff review and recommendation to the Park and Recreation Board and their subsequent board action. Board meetings are held on the third Thursday of each month.

Discussion

Commissioner Piket asked if there was an issue with the trees in the parking lot. Mr. Vickerman reported staff recommended that any of the dead trees in the parking lot be replaced with improved soils and new trees.

Commissioner Ayika questioned what fitness center would be moving into the community. Mr. Vickerman explained he did not know the specific fitness user but noted the applicant was on the line.

Commissioner Ostaffe understood the site had adequate parking. However, he questioned what the traffic flow would be to this site during peak times. Mr. Vickerman stated this was not information he had readily available and deferred this question to the applicant.

The applicant was at the meeting to answer questions.

Tom Cloutier, 16505 75th Avenue North, reported Crunch Fitness would be moving into the proposed space. He explained this was the fastest growing large gym franchise in the nation. He noted the first franchise was in Blaine. He invited the Commissioners to visit this site as it was a first class gym.

Patrick Daly, Ryan Companies, thanked the Commission for their consideration. He stated Ryan Companies had a longstanding partnership in working with the City at The Grove. He reported this was a unique opportunity to bring a health and fitness use to The Grove. He commented on the parking requirements for this use, which was five per one thousand square feet and reported the

property has 8.5 acres of available parking.

Motion by Commissioner Lenthe, seconded by Commissioner Klein, to recommend that the City Council City Council direct the City Attorney to draft a Resolution and a Planned Unit Development agreement approving The Grove 15500 Grove Circle North PUD non-residential development stage plan and final plat, subject to:

- 1. The applicant addressing to the satisfaction of the city any remaining applicable comments contained in the memorandums from:
 - a. The Community & Economic Development Department dated April 12, 2021
 - b. The Water Resources Department dated April 9, 2021

The applicant shall acknowledge that Park Dedication requirements are based on staff review and recommendation to the Park and Recreation Board and their subsequent board action. Board meetings are held on the third Thursday of each month.

Upon call of the motion by Chair Lamothe, there were seven ayes and no nays. Motion carried.

Commissioner Klein reported she had a conflict of interest on this item and therefore would abstain from discussion or voting on this matter.

Mr. Vickerman stated the applicant is requesting a PUD concept stage plan amendment to change the use of the Park 81 South lot from a 267,000 s.f. industrial building (and associated truck and car parking) to a truck access drive and 283-space trailer parking area. This truck access and trailer parking area would be accessory to the principle use of the Park 81 East building (currently under construction) to support the use of this building for a confidential tenant. It was noted the applicant is also requesting a PUD development stage plan for both the south and east lots to construct the truck access and trailer parking portion as well as to expand the parking lot on the east side of the Park 81 East building, including some expansion into city-owned property that is part of the city water supply well field. A small patio on the south side of the

PUBLIC HEARING

PARK 81 SOUTH AND EAST

SCANNELL PROPERTIES 481 AND SCANNELL PROPERTIES #487, LLC

10520 89TH
AVENUE NORTH
AND 10440 89TH
AVENUE NORTH
PLANNED UNIT

Maple Grove Planning Commission April 26, 2021 Page 5

DEVELOPMENT
(PUD) CONCEPT
STAGE PLAN
AMENDMENT
AND
DEVELOPMENT
STAGE PLAN TO
ALLOW FOR
TRAILER AND
ADDITIONAL CAR
PARKING

building is also proposed as part of this development stage plan.

Mr. Vickerman commented overall staff has no major issues with the proposal. As was mentioned in the concept plan analysis, the proposed use is consistent with the underlying I-Industrial zoning and staff is requesting some adjustments to their plan to be consistent with other sections of code such as screening and landscaping in the parking lot, as well as an emergency vehicle access to the truck dock area. The daily increase in trips is offset by decreases at the peak hours and staff feels the street system around this property can adequately handle the traffic generated. Staff commented further on the proposed project and recommended approval.

STAFF RECOMMENDATION:

Motion to recommend that the City Council direct the City Attorney to draft a Resolution and a Planned Unit Development agreement approving the Park 81 South and East I-PUD concept stage plan amendment and development stage plan, subject to:

- 1. The applicant addressing to the satisfaction of the city any remaining applicable comments contained in the memorandums from:
 - a. The Community & Economic Development Department dated April 21, 2021
 - b. The Water Resources Engineer dated April 8, 2021

The applicant shall acknowledge that Park Dedication requirements are based on staff review and recommendation to the Park and Recreation Board and their subsequent board action. Board meetings are held on the third Thursday of each month.

Discussion

Commissioner Piket questioned what type of lighting would be installed in the parking lot. Mr. Vickerman stated additional lighting would require photometric plan and would have to meet City Code requirements.

Commissioner Ayika asked if the applicant anticipated the trailer parking when they first requested their building. He inquired why the plan was not brought together to the City originally. Mr. Vickerman reported when the plans were originally approved a specific tenant had not been defined. However, a tenant has now been found that requires trailer parking.

Commissioner Ayika asked if the name of the tenant would remain confidential even when applying for permits from the City. Mr. Vickerman stated this would depend on if any information that would identify the user, like on a sign permit, was presented to City staff. City Attorney Landsman reported under City Code permitted uses and conditional uses were listed, along with PUD uses. He explained these uses are not tied to specific users, but rather the use itself.

Commissioner Ostaffe indicated this was a significant change from the original proposal, which was light industrial space or warehousing. He commented the new use would be heavy warehousing with 360 trailers and potentially three shift operations. He questioned if staff had considered how this truck traffic would impact the surrounding area. Mr. Vickerman explained this project was reviewed by Hennepin County and it was his understanding they offered their support because the AM and PM peaks would decrease with this particular user.

Commissioner Ostaffe inquired if this site would be having 400 trucks coming to the site a day or 800 trucks. Mike Brandt, Kimley Horn, stated in looking at the trip generation, he estimated there would be total of 658 trucks trips per day and 2800 cars a day with all of the facilities. He noted the AM and PM peak does decrease.

Chair Lamothe reported the number of cars was high because the space operated round the clock with three different shifts.

Commissioner Ostaffe stated even with three shifts and 300 parking spaces, the number of trips to and from the site doesn't add up. Mr. Brandt commented the site had 350 parking spaces. Dan Salzer, Scannell Properties, explained trip numbers included people leaving and coming back for lunch or dinner.

Chair Lamothe asked how this proposal (one building) compared to the original proposal (two smaller buildings) when considering trip distribution access. Mr. Brandt explained there would be less trucks coming from County Road 81 to the site as they would mainly come from 89th down and over or up from Valley Forge and 169. He did not anticipate there would be any change to the trip distribution between the two plans. He stated he was seeing a 40

trip per day decrease in AM peak with the new proposal.

Commissioner Lindeman asked what happens if the City and the company cannot come to an agreement on the additional land needed for parking and watermain lines. Mr. Vickerman reported the proposal was subject to that occurring, that an agreement would come into play. He indicated people were comfortable with the general idea and the specifics of the agreement were being determined at this time. He stated he was confident this would be done.

Commissioner Lindeman requested the trees in the parking lot islands be scaled properly so as to survive. Mr. Vickerman explained these islands were quite a bit larger than the islands at The Grove and would be able to support trees or shrubs.

Commissioner Lenthe questioned what course of action would be taken if a different user wanted to move into this site and had considerably more trip generation. Mr. Vickerman stated if a new user moved to the site staff would rereview the site and traffic concerns.

The applicant was at the meeting to answer questions.

Chair Lamothe opened the public hearing at 7:40 p.m.

The public was asked by Chair Lamothe if they had any comments to make regarding this application.

No one wished to address the Commission.

Motion by Chair Lamothe, seconded by Commissioner Lenthe, to close the public hearing at 7:41 p.m. Upon call of the motion by Chair Lamothe, there were seven ayes and no nays. Motion carried.

Motion by Commissioner Piket, seconded by Commissioner Lindeman, to recommend that the City Council direct the City Attorney to draft a Resolution and a Planned Unit Development agreement approving the Park 81 South and East I-PUD concept stage plan amendment and development stage plan, subject to:

1. The applicant addressing to the satisfaction of the city any remaining applicable comments contained

in the memorandums from:

- a. The Community & Economic Development Department dated April 21, 2021
- b. The Water Resources Engineer dated April 8, 2021

The applicant shall acknowledge that Park Dedication requirements are based on staff review and recommendation to the Park and Recreation Board and their subsequent board action. Board meetings are held on the third Thursday of each month.

Commissioner Ayika stated he understood an opaque fence was necessary. He recommended staff work on this matter with the applicant to provide adequate screening. Mr. Vickerman stated one of the conditions for approval required the applicant to provide details to staff regarding the fence and screening.

Commissioner Ostaffe questioned if the site was properly screened. He noted the other large distribution centers in Maple Grove were fully screened or bermed. He commented further on how significant the change was to this property and how it would impact the surrounding uses by the number of trip generations. While he wanted plenty of job opportunities in the community, he feared this site would be largely a parking lot.

Chair Lamothe asked how this site compared to the FedEx facility south of 85th. Mr. Vickerman explained the building would be about the same size and noted the FedEx facility has slightly more trailer parking. He commented further on the minimal amount of screening that was provided on this property.

Commissioner Piket inquired how important it was to have the trailers screened in this industrial park. He did not believe a large amount of screening was necessary given the fact this property was surrounded by other industrial users.

Chair Lamothe called the question.

Upon call of the motion by Chair Lamothe, there were six ayes and no nays (Commissioner Klein abstained). Motion carried.

Maple Grove Planning Commission April 26, 2021 Page 9

ITEMS

There were no discussion items.

ADJOURNMENT

Motion by Chair Lamothe, seconded by Commissioner Lenthe, to adjourn the Planning Commission meeting. Upon call of the motion by Chair Lamothe, there were seven ayes and no nays. Motion carried.

Chair Lamothe adjourned the meeting at 7:50 p.m. to the next regularly scheduled meeting of the Planning Commission scheduled for May 10, 2021.

STAFF REPORT TO THE PLANNING COMMISSION May 10, 2021

Crew Carwash Planned Unit Development Non-Residential Concept Stage Plan Amendment Development Stage Plan

Applicant:

Crew Carwash Inc.

Justin Furr

10251 Hague Road Indianapolis, IN 46256

Owner:

Same

Requested Action:

Planned Unit Development (PUD) concept stage plan amendment and

development stage plan for the purpose of constructing a carwash.

Location:

13370 Grove Drive North

Zoning:

B-PUD, Business, Planned Unit Development

Adjacent Land Use and Zoning:

North:

R-3 PUD, Single and Two-Family Residential

East:

B-PUD, Business, Planned Unit Development

South: West:

B-PUD, Business, Planned Unit Development B-PUD, Business, Planned Unit Development

Application Received:

April 8, 2021

60 Day Review Deadline:

June 7, 2021

STAFF COMMENTS:

Motion to table the Crew Carwash PUD concept stage plan amendment and development stage plan until Tuesday, June 1, 2021, to allow applicant more time to submit requested changes.

Staff Report to the Planning Commission Jesse Corrow, Project Manager- X6047 Crew Carwash Planned Unit Development Non-Residential Development Stage Plan May 10, 2021 Page 2


STAFF RECOMMENDATION:

Motion to table the Crew Carwash PUD concept stage plan amendment and development stage plan until Tuesday, June 1, 2021, planning commission meeting.

ATTACHMENTS:

Attachment A: Location Map





NEIGHBORHOOD LOCATION MAP





New Business

STAFF REPORT TO THE PLANNING COMMISSION May 10, 2021

Arbor Lakes Business Park Phase 2 Planned Unit Development Non-Residential **Development Stage Plan and Final Plat**

Applicant:

Endeavor Development

Josh Budish

200 Southdale Center Minneapolis, MN 55345

Owner:

Tiller Corporation

Gary Sauer PO Box 1480

Maple Grove, MN 55311

Requested Action:

Planned Unit Development (PUD) development stage plan and final plat

for the purpose of constructing a 221,549 square foot building with

associated parking and loading docks.

Location:

Elm Creek Boulevard and Zachary Lane North, Outlot B

Zoning:

FF, Freeway Frontage

Adjacent Land Use and Zoning:

North:

Regional Mixed Use - R-A, Single-Family Agricultural

East:

Regional Mixed Use - FF, Freeway Frontage

South:

Regional Mixed Use - FF, Freeway Frontage

West:

Regional Mixed Use - PUD, Planned Unit Development

Application Received:

March 29, 2021

60 Day Review Deadline:

May 28, 2021

Additional 60 Day Review Deadline: July 29, 2021

STAFF COMMENTS:

Endeavour Development is seeking PUD development stage plan approval for building A of the

second phase of Arbor Lakes Business Park and final plat approval to re-plat the property into two separate lots. The subject property is located at the southeast intersection of Elm Creek Boulevard and Zachary Lane. This project was first brought forward for approvals by the city in 2017 and received renewed approvals in February 2021. This request for PUD development stage plan and final pat approval matches the development concept and comments that were previously approved in 2021.

The applicant is proposing to construct one building, building A, that is a total of 221,549 square feet in size. The proposed development is consistent and mirrors what was developed in the first phase of Arbor Lakes Business Park, directly adjacent to the east of the property. Necessary approvals for the second building of phase 2, building B, would be applied for at a future date prior to construction. building A would be located in the northern portion of the property and building B would be located in the southern portion of the property.

Site Information

The site is a total of 22.38 acres and is currently zoned FF- Freeway Frontage. The property is within the gravel mining area (GMA) and has been guided under the 2040 Comprehensive Plan accordingly as RMU-East Elm Creek Boulevard. Within the GMA small area plan, this area was identified as the location for business park style development. The proposed development is consistent with the property's current zoning and land use guidance.

Final Plat Request

The final plat request for the 22.38-acre parcel would separate the property into two distinct lots. Lot 1 (northern lot) would have a total size of 12.65 acres. Lot 1 is the subject property for which the developer is seeking PUD development stage plan approval. The southern portion of the property would be platted as an outlot until the time of future construction of the second building.

Building Layout/Setbacks

The building is arranged so that the front and side face the public roads. There is one double row of parking between the road and the front of the building for car parking and then truck loading dock area at the south of the building. Upon completion of both buildings, the loading dock area would be joined together to minimize any visual impacts on adjacent properties.

The proposed building has a setback of at least 93.7 feet from both Elm Creek Blvd and Zachary Lane. The proposed setback exceeds what is required by city code. Proposed parking setbacks also exceed city code requirements and are a minimum of 26.2 feet from both the northern and western property lines.

Access

Multiple access points are proposed as part of this development. Access into the property would be available from the north on Elm Creek Boulevard and from the west on Zachary Lane. The Elm Creek Boulevard access point provides full access and would serve as the primary access for the development. The access point to the north is shared with Arbor Lakes Business Park first phase. Internal private roadways provide connection between the two phases of this development. An additional access point to the south on Fountains Drive would be included with the construction of the southern building at a future date.

Parking

The development plan includes a total of 269 parking stalls to be included with the development of the northern lot (building A). This total includes eight ADA accessible spaces. This number is consistent with the approved concept plan. The proposed parking standard is reflective of the actual needs based on industry knowledge and the Institute of Transportation Engineers Parking Generation Manual. Staff concurs with the applicants proposed parking standard.

At the concept stage plan review, the Planning Commission and City Council commented on the inclusion of shared bicycle facilities on the property and if there was a need for the inclusion of electric vehicle charging stations. The developer has reviewed the potential for these items to be included with the development. At this time, there has not been a direct desire by the first phase tenants for shared bicycle facilities as they are not widely in operation within the surrounding area. The developer also plans to review the potential for electric vehicle charging stations during tenant leasing and build-out to ensure proper placement.

Signage

A monument sign is proposed for the corner of Zachary Lane and Elm Creek Boulevard. Additional signage on the building would also be included signifying the building tenants. All signage would require necessary permits.

Landscaping

The provided landscaping plan overall exceeds the requirements of city code. The proposed landscaping includes the planting of 76 trees. This total includes a mix of deciduous, evergreen and ornamental trees. Additionally, a large volume of shrubs and perennials are proposed. The proposed landscaping is focused on the north, west, and east sides of the proposed building. Increased emphasis and landscaping volume is proposed on the west side the property to further screen the loading dock area.

Architecture

The applicant has proposed the building consisting primarily of precast concrete in various shades of grey with horizontal offsets every fifty to one hundred feet. Darker panels are used to emulate a double row of windows along the entire length of the front and side elevations which gives the buildings a two-story appearance. The ends and middle, where the main entrances are located, provide a higher proportion of windows along with decorative features and stone veneer. The proposed architecture would mirror the first phase of the development. The applicant has provided renderings and elevations of the proposed architecture.

At the concept stage plan review, discussions regarding additional enhanced architectural features on the west sides of the building were discussed. The proposed architecture for the west sides of the building now includes additional integration of glass and stone veneer.

Development Timing

Upon approval of the PUD development stage plan and final plat request, the developer anticipates that construction for the building will begin in early summer 2021. Construction is anticipated to take approximately one-year to complete. Following the completion of construction and leasing of the of the building, the developer will then seek approval for the construction of the southern building.

Synergy with Existing Development/Market Conditions

A key component of the GMA is that it is a mixed-use area with opportunities to live, work, shop and play. There has been a high volume of retail development, recreational opportunities, and housing areas within direct vicinity to the proposed development site. The proposed development would continue to increase the number of higher-wage employment opportunities for people who live within the area that was established with the first phase of the Arbor Lakes Business Park. The addition of these jobs also increases weekday and daytime consumers to further support the nearby retail, restaurants, and service businesses.

Existing market conditions and demand for this style of development have remained strong through the pandemic as compared to other uses. While office and retail uses have taken a large impact as of recent, business park style development has remained fairly consistent as businesses continue to expand or relocate to Minnesota. The developer is currently conducting pre-leasing for the proposed development. While direct tenants have not yet been identified, it is anticipated that the proposed building would lease rather quickly. The two buildings from the first phase of Arbor Lakes are now fully occupied.

STAFF RECOMMENDATION:

Motion to recommend that the City Council direct the City Attorney to draft a Resolution and a Planned Unit Development agreement approving the Arbor Lakes Business Park Phase 2 PUD development stage plan and final plat, subject to:

- 1. The applicant addressing to the satisfaction of the city any remaining applicable comments contained in the memorandums from:
 - a. The Engineering Department dated April 7, 2021
 - b. The Fire Department dated April 2, 2021
 - c. The Arbor Committee, dated May 3, 2021

The applicant shall acknowledge that Park Dedication requirements are based on staff review and recommendation to the Park and Recreation Board and their subsequent board action. Board meetings are held on the third Thursday of each month.

ATTACHMENTS:

Attachment A: Narrative Attachment B: Location Map

Attachment C: Maps

Attachment D: Memorandums



2550 University Avenue W.

Suite 238N

St. Paul, MN

Kimley » Horn

To:

Maple Grove City Planner

From:

Michael C. Brandt, P.E.

Kimley-Horn and Associates, Inc.

Date:

March 26, 2021

Subject:

Planned Unit Development Memorandum

Arbor Lakes Business Park Buildings A

Maple Grove, MN

Endeavor Development is requesting Arbor Lake Business Park be considered for a Planned Unit Development. The property is legally described as follows:

Outlot B Arbor Lake Business Park

PROPOSED DEVELOPMENT OVERVIEW:

Endeavor Development is proposing to develop a business park to be known as Arbor Lakes Business Park Second Addition located across Zachary Lane, east of the existing Fountains Retail Center. This development received a revised Concept PUD approval this past March of 2021. Endeavor Development is request a final plat approval for two (2) lots know as Arbor Lakes business Park Second Addition, and a development stage PUD approval for Building A.

PROPOSED FINAL PUD DEVELOPMENT:

Endeavor Development is proposing a final PUD approval on Building A from the approved concept master plan for Arbor Lakes Business Park shown as Exhibit B in the November 20, 2017 City Council resolution #17-139 and renewed approval in March of 2021. The final plat consists of Lot 1 and 2 of Arbor Lakes Business Park Second Addition totaling 22.38 acres, Lot 1 is 12.65 ac and will have a 2221,549 SF building, which is consistent with the approved concept PUD.



Building Setbacks, Parking Counts, and Greenspace Calculations:

Lots] 1 is consistent with the concept PUD in aspects of building and parking setbacks. Parking is based on the same ratios as shown in the approved concept PUD resolution. Overall green space is still shown to be below the 25% required for Industrial Property, as shown in the concept PUD resolution. Parking lot green space exceeds the City Code requirement of 4%.

Landscape Requirements:

The landscape plan is consistent with the approved Concept Landscape Plan shown in Exhibit B of the approved resolution #17-139 dated November 20, 2017 and revised in March of 2021. The landscape plans for Lot 1 is reflective of the images provided to the City Council and documented in Exhibit B of the Approved Resolution for Concept PUD approval for Arbor Lakes Business Park.

UTILITIES

Stormwater Treatment Requirements:

The City of Maple Grove stormwater management plan has been reviewed. A discussion with City staff and Shingle Creek Watershed District concluded that the storm water from the site will be treated by the existing system. There is an existing stormwater treatment system in the NW corner of Elm Creek Boulevard and Zachary Lane which will treat the storm water runoff from the area designated as Phase II of the overall project. An erosion control SWPPP and an erosion control permit from the City of Maple Grove and Shingle Creek Watershed District will be required. Additionally, the City of Maple Grove has constructed a volume control system for this area. A volume control permit will not be required for this site. Phase II runoff will be collected in a pipe collection system and connected to the City of Maple Grove storm water collection system in Zachary Lane.

Water service to each building will be provided by extending the existing 12-inch water loop system in Elm Creek Blvd and from Fountains Drive throughout the development. A fire hydrant loop line will be provided to the north of Buildings A,. The truck court will be served by a proposed 12-inch main with a 12-inch service to each building and hydrants to provide coverage to each building. Additionally, each individual building will be protected with a fire sprinkler system.

Sanitary Sewer:

Sanitary sewer service will be provided to each building through a central sewer main running through the shared loading areas. The internal sewer main will connect to a City trunk line at the midpoint of Fountains Drive.

Dry Utilities:


Electric, gas, telephone, fiber optics, and cable will serve each building through the shared loading zone area. Services for each utility will be extended from Elm Creek Blvd to the loading area and into the development.

Lane for Phase I. The existing system in Zachary Lane will be utilized for Phase II construction.



Building Requirements:


Building materials, images, colors, and articulations for Building A are consistent with the building images shown in Exhibit B of the approved resolution #17-139 and as updated in March of 2021 for Concept PUD for Arbor Lakes Business Park.



NEIGHBORHOOD LOCATION MAP








ARBOR LAKES BUSINESS F	KES BUSINESS PARK 1ST ADDITION GR. DOC. NO.	S.R. DOC. NO.
	Attachr	Attachment C
NOW ALL PRISONS BY THESE PRESENTS. That Titler Corporation, a Variescale corporation, fee ower of the following described properly alluste in the County of Hermeton, State of Variescale to wit.	MAPLE GROVE, MINNESOTA	
Cutter II, ARBOR LAKES BLENCES PARK, occording to the recorded plot themself. Hemself is	of ARBOR LAKES BUSINESS PARK 1ST ADDI	f Mople Grove, Minnesoto, at a regular meeting thereof
Has caused the some to be surveyed and plotted on ARBOR LAKES BASINESS PARK IST ADDITON and does hereby dedicate to the public for public use the drainage and utility essement as areeled by this plat.	red the of of, 702, ord tod plot it in companie with the provisors of Monesola Sciaules, Section 505-US, ausd. 2.	Innesato Statutes, Section 505.03, subd. 2.
in winess whered sed Tier (Exposition, is Winesola corposition, has counted these presents to be signed by its proper officer. This		
Signed. The Capacition, a Winnessia Capacition	Mayor Cert	
Steen State Oul Cheriton Offer		
	RESOBAT NO REAL ESTATE SPACES Hangin Court, Monesola	
	I hereby certify that taxes payable in 202 and prior years have been paid for the land described on this plat, dated this	this day of , 202
SIAIR OF WINNESOIA COUNTY OF	Mark V. Chaplin, Caunty Auditor By Deputy	
This instrumest was advocateded before me on this day of, 200 by Streen Saver, Onel Operations Officer, Titler Corporation, a Minnesota corporation, on behalf of the corporation.		
	HORNIQ ADVANCE	
(Square)	Hennepin County, Manesota	
Printed Name)	Pursuant to WINN STAT. Sec. 3838 565 (1969), this plot has been approved this day of	. 202
Notey Palic	Ontis F. Mawis, County Surveyor	
ny continuoson tupres accommensariaments		
EGG. A. Resear to breasy certly that this pair was proposed by me or unter my direct majoristics; that I am a day itemest Land Surrapor in the State of managements and the submission of the majoristics of deceased that the submission of the sub	COANTY RECORDER	
Dates this	Hennepin Caunty, Winnesato	
	I hereby certify that the within plat of ARBOR LAKES BUSINESS PARK 1ST ADDITION was recorded in this office this	day of , 202 of
Fire A Reber Licensed Land Surveyor Minnesota Licensed Land 8.7178	Martin McCamick, County Recorder By	
STATE OF MANESOTA CAURIT OF HENEEPIN		
This instrument was advinced applies me this		
(Squature)		





РЯЕLІМІИАRY - ИОТ FOR CONSTRUCTION

COVER SHEET

ENDEAVOR DEVELOPMENT

ENDEAVOR 200 Southdale Center Minneapalle, MN 55425 952,210,5870

ARBOR LAKES BUSINESS PARK PHASE II BUILDING A

SITE DEVELOPMENT PLANS FOR SECTION 25, TOWNSHIP 119N, RANGE 22W MAPLE GROVE, HENNEPIN COUNTY, MN

Ö		PARED IS ON AND SIONAL STATE OF		19801
¥ €		THE PLAN DRT WAS PRE IT SUPPRESS SED PROFES ANS OF THE	MICHAEL C. BRANDT	UC NO.
mey	STREET, SLITE 100 N SST14 N	CERTIFY THAT AND RESEARCH OF STREET AND STRE	MICHAEL	63/25/2021
Z	367 EUSTIS S1. PAU. N (837) 865-411	BPECEN ME OR U THAT I A ENGINEE MINNESS		DATE

ARBOR LAKES - BUILDING A

X	Title	SHEET	L CONSTRUCTION NOTES	D EROSION CONTROL PH. I PLAN	IN AND SEDIMENT CONTROL PLAN	LAN	PLAN ENLARGEMENTS	PLAN ENLARGEMENTS	NG AND DRAINAGE PLAN
NG INDEX	Sheet Title	COVER SHEET	CONST) EROSIC	N AND SE	SITE PLAN	LAN ENL	LAN ENL	IG AND D

	DRAWING INDEX
Sheet Number	Sheet Title
0000	COVER SHEET
C100	GENERAL CONSTRUCTION NOTES
C200	DEMOLITION AND EROSION CONTROL PH.
C300	PHASE II EROSION AND SEDIMENT CONTRO
C400	SITE PLAN
C401	SITE PLAN ENLARGEMENTS
C402	SITE PLAN ENLARGEMENTS
C500	GRADING AND DRAINAGE PLAN
C501	GRADING ENLARGEMENTS
C502	GRADING ENLARGEMENTS
C600	UTILITY PLAN
C700	CONSTRUCTION DETAILS
C701	CONSTRUCTION DETAILS
C702	CONSTRUCTION DETAILS
C703	CONSTRUCTION DETAILS
C704	CONSTRUCTION DETAILS
C705	CONSTRUCTION DETAILS
C706	CONSTRUCTION DETAILS
L100	OVERALL BUILDING A LANDSCAPE PL
L101	BUILDING A LANDSCAPE PLAN
L102	BUILDING A LANDSCAPE PLAN
L103	PLANTING DETAILS





PROJECT TEAM:

Kimley » Horn

DEVELOPER ENDEAVOR DEVELOPMENT ENDEAVOR 200 SOUTHDALE CENTER MINNEAPOLIS, MN 55435 TELEPHONE: (952)210-5870

PREPARED BY: MIKE BRANDT 767 EUSTIS ST ST. PAUL, MN 55114 TELEPHONE (651) 645-4197

SURVEYOR GGAN, FIELD & NOWAK, INC. ERIC ROGERR, P.L.S. TZ29 TVER STREET NE. SUITE 100 MINNEAPOLIS, MN 55413 TELEPHONE (61?) 466-3300

ARCHITECT
HARRIS ARCHITECTS INC.
KAREY KUXDOL
4001 EMESON AVENUE - SUITE 210
PALATINE, IL 60057
TELEPHONE (847) 303-1155

GEOTECHNICAL BRALIN INTERTEC NATE MCKINNEY 1101 HAMPSHIRE AVENUE S MINNEAPOLIS, MN 55438 TELEPHONE (952) 995-2000

ENGINEER KIMLEY-HORN AND ASSOCIATES, INC.

LANDSCAPE ARCHITECT KIMLEY-HORN & ASSOCIATES, INC. 767 EUSTIS ST ST. PALL, MN 55114 TELEPHONE (651) 645-4197

GENERAL CONSTRUCTION

ARBOR LAKES - BUILDING A

ENDEAVOR DEVELOPMENT



ENDEAVOR

303 Southdale Center Minneapale, MN 55435 952-210.5870

MS PREPARED BY FRAISCON AND ROFESSIONAL X THE STATE OF	1987
REPORT WAS PRINCED RECT & LINE TANS OF THE LAWS OF THE	MCMELC. BRANCT
SON ON THE REAL PROPERTY OF TH	MCHAEL
ME OR UNDER THAT I AM A D ENGMEER UN MINNESOTA.	DATE

REPARED BY ISON AND ESSIDNAL RESTATE OF	1980
S OF T	COMEL C. BRANDT
NOUN DE NAME NAME NAME NAME NAME NAME NAME NAM	MOME
SPECIFICA ME OR UN THAT I AM ENGINEER MINNESOTI	DATE

REPARED ISION AND SSIONAL E STATE	1980	
CT SUPERVISION OF THE	CHARL C. BRANDT	
TICATION OF RET I WAS A DULY LICE FER LADER THE SOTA.	MC-ME	
SPECIFICA NE OR UNE THAT LAM ENGINEER MINNESOT	DATE	

CAMSO	WEL C. BRANDT	LIC NO.
MADUIVIER BRUNDER THE STA.	MICHAE	12030331
THAT I AM ENGINEER MINNESOT		DATE

HEGE SPECF NE OR THAT I ENGNE AINNES		a de la companya de l	
SRAVITY I PHESE IPHENT ETE THE COVABLY AGENCY CTIONAL	DN AND SENERAL	SHOWN	TITINGS LI PIPES NS BEEN TO THE

z	W 00 00 Z W	60 (5) or 1-
. DISTURBED VEGETATION IN KIND, UNLESS SHOWN	CURVATURE OF PIPE SHALL NOT EXCEED THE RELYCLOSE ALL OPEN ENDS OF PIPE AND FITTINGS IN OUT IN PROCEED. THE NITEMEND OF ALL PIPE WITH DECEMBENT OF THE PIPE WHEN CLEAR AND END ATEN THE PIPE ALS BEEN SHALL BE PLUMB AND LOCATED ACCORDING TO THE	AREFULLY STORED FOLLOWING MANUFACTURERS WENT TO AVOID DAMAGE TO THE COATING OR LINING ITTRO WHICH HAS FLAWS OR WHICH HAS FLAWS ON OF THE BINGREER OR OWNER, RENDERS IT UNIT
五	OE a mo	8282
90	SELE	EESE
55 ES	99248	7000
=	m 4000	3248
5	F # 6 # 8	3312
9	Sere	~ 055 €
2	, 0 = × a	S H Z K
Z	48 FE	SF K G
-	CATAN	25.09
2	2.29	5 4 8 4
4	T 2 3 0 0	- 240
ω.	E 5 2 6 9	8338
3	# 30 4 B	S O S N
2	M & & 2	FEETS
E	# S _ m m	250
2	글 강 등 이 병	3485
E	4 × 0 W -	SEGE
*	5 5 7 B 5	SER
-	35==3	485-

583500	- 5
CERRE	- 5
SETON	:
34 Y E Z E	- 5
CO TE COM	0
SECTION OF	5
8008 X	- 5
35008	- 2
5 × 9 × 6	1
033808	3
20 0 H 0 H	3
FOT ST	- 6
SAMES	3
308433	-
SESEPE	3
SEE ON S	u
255.00	3
DYNOM P	3
B 2 4 9 3 3	ā
MO E PER	-
表の女子思盟	3
" # 4 E 5 5 .	9
SASSEE S	É
E SEPTEME	3
FAFFARES	G
OF HE STEP	ă
PER ADDITIONS GIALLI EL CARGILLY STORIO CALONNO MANESAT. CHERALIE START	SOUTH AND THE STORY OF THE STOR
DE CONTRE	3
PH Y CEL	0

SHALL GOVERN.
UNDERGROUND LINES SHALL BE SURVEYED BY A STATE OF IMNIESOTA PROFESSIONAL LAND SURVEYOR PRIOR TO BACK FILLING.
CONTRACTOR SHALL PERFORM, AT HIS OWN ESPENSE, ANY AND ALL TESTS REQUIRED BY THE SPECIFICITING AGOING ANY MEMORY-WANNED ARRIGINSTHY THESE TESTS MAY PROLUCE, BUT ANY OF THE LIBITED TO, METTANTION AND UNITED THE STEEDULES WESTERN AND OF THE CHILLY PROLUCE, OR MANTHY SERVER, A COPP OF THE STEEDULES MALL BE PROMISED TO THE CHILLY PROLUCE, ON MEMORY AND JURISICITIONAL AGRICA'S REQUIRED.
CONTRACTOR SHALL PROMDE FOR A MINIMUM HORIZONTAL CLEARANCE OF 19" AND A VERTICAL CLEARANCE OF 18" BETWEEN WATER AND SANITARY SEWER MANHOLES AND LINES.
IF ANY EXISTING STRUCTURES TO REMAIN ARE DAMAGED DURING CONSTRUCTION IT SHALL BE THE CONTRACTORS REGIONSBULTY TO REPAIR MAIDIN REPLACE THE EXISTING STRUCTURE AS RECESSARY ORETURN IT TO EXISTING CONDITIONS OR BETTER

14, LEGO WINGOLD BOTH OF A STIT TO BOTH OWNERS AND DESCRIPTION. 14, LEGOW WINGOLD BOTH OWNERS AND DESCRIPTION OF A STITLED WINGOLD BOTH OWNERS AND DESCRIPTION OF A STITLE OF

TOPOGRAPHIC BYTORNATION IS TAKEN FR F THE CONTRACTED BODS NOT ACCEPT WITHOUT EXCEPTION, THEN THE CONT TOPOGRAPHIC SURVEY BY A REGISTERIO CONSTRUCTION SHALL COUNTY WITH CONSTRUCTED TO SAME.	 TOPOGRAPHE INTORNATION IS TAKEN FROM A TOPOGRAPHE SINKEY BY LAND SINKEYORS. PER ECRIPATION TORS NOT ACCEPT ESSING TOPOGRAPHE SINKEY AS SHOWN ON THE PANES. WINDLY ECCEPTION. THEN THE CONTINCTOR SHALL SIPPLY. AT THEN EXPENSE. TOPOGRAPHIC SINKEY BY A REGISTERIO LAND SINKEYON TO THE OWNER FOR REPORT. 	15. CONSTRUCTION SHALL COMPLY WITH ALL APPLICABLE GOVERNING CODES AND BE CONSTRUCTED TO SAME.	
	TOPOGRAPHIC INFORMATION IS TAKEN FF IF THE CONTRACTOR DOES NOT ACCEPT WITHOUT EXCEPTION, THEN THE CONT TOPOGRAPHIC SURVEY BY A REGISTERED	CONSTRUCTION SHALL COMPLY WITH CONSTRUCTED TO SAME.	

STAR F	ICATED UN AT
ON G	EFABR MALL R
POUR	AN SP
FORM	EWER ELL DR
TH UN	CK W
SMOO	O STC
TAVEA	NAS A
SHALL	OF DR
JRES	S. RO
T.	SHAL
IRT OU	STRUC
B. ALL STORM STRUCTURES SHALL HAVE A SMOOTH UNIFORM POURED MORTAR TO BVVERT OUT.	17. ROOF DRANS SHALL BE CONNECTED TO STORM SEWER BY PREFABRICATES STORM STORUTURES, ROOF DRANS AND TRUCK VIELD DRANS SHALL RIN AT SLOPE, UNLESS NOTED OTHERWISE, AND THE BAT THE CENTER BE OF THE KTO
#	7.

17. ROOF DRANS SHALL BE CS STORM STRUCTURES. ROOS SLOPE, UNLESS NOTED OTHER STRUCTURES OF PROVIDED. 19. THE CONTRACTOR SHALL PS THE CONTRACTOR SHALL PS THE CONTRACTOR SHALL PS THE SHALL PS TO SERIAN PROVIDED.	17. ROOF DRANG SHALL BE CONRECTED TO STORM SEWER BY PREFABREATED WYES OR AT STORM STRUCTURES, ROOF DRANGS AND SHOULY WILL BOARD SHALL BRANK TA MINIMAL IN SLORE, UNLESS NOTED OTHERWISE, AND THE BY AT THE EDITERIAR OF THE STORM MARK.	18. ALL ROOF AND SANITARY SEVIEN DRAINS SHALL BE INSULATED IF 7 OF COVER CANNOT BE PROVIDED.	18. THE CONTRACTOR SHALL PROTECT EXISTING UNDERGROUND UTAITIES AND APPURTENANCES. THAT ARE DO RECEIVED ANALTE PRIBING CONSTRUCTION ARECOMPANY.
년 후 후	ROOF DRAINS SHALL BE CONNI STORM STRUCTURES, ROOF DI SLOPE, UNLESS NOTED OTHERW	ALL ROOF AND SANITARY SEWE PROVIDED.	THE CONTRACTOR SHALL PROTE
	7.	25	2

THAT ARE TO REMAIN FROM DAMAGE DURING CONSTRUCTION OPERATIONS.	M. THE LOCATION OF EXISTING UTILITIES, STORM DRAINAGE STRUCTURES AND OTHER ALONG AND BELLOM-SADUE MINOCREMENTS ARE APPROXIMETED, SHOWN, IT IS THE CONTRACTOR'S RESPONSIBILITY TO GETERALINE THE EXACT LOCATION, SIZE AND INVERT ELEVATIONS OF EACH PRIOR TO THE START OF CONSTRUCTION.	11. A MINIMUM OF S' SEPARATION IS REQUIRED BETWEEN UTILITIES AND TREES UNLESS A ROOT BARDIED IS ITTITION.
NS.	S AND OTHER ABOVE S THE CONTRACTOR'S ELEVATIONS OF EACH	IEES UNLESS A ROOT

2	1. A MRHIMUM OF S' SEPARATION IS REQUIRED BETWEEN UTILITIES AND TREES UR BARRIER IS UTILIZED.	5
22	 GAS, PHONE AND ELECTRIC SERVICES SHOWN FOR INFORMATIONAL PURPOSI UTILITY COMPANIES ANY ALTER HE DESIGN LAYOUT DIRING FIRE REVIEW, CO PROPERTY EDIAL DESIGN AND INFORMATION OF THE PROPERTY. 	500

	E 5	
COORDINATE UTLITY INSTALLATION WITH IRRIGATION DESIGN AND INSTALLATION.	ALL DIMENSIONS ARE TO FLOW LINE OF CURB UNLESS OTHERWISE NOTED. PERILIEF DIMENSIONS ARE TO INDIDE WALL FACE. REFERENCE ARCHITECTURAL PLANS FO THE WIDTH AND SPECIFICATIONS.	
3	0 4	
TAL	RAL	
N	S C	
ON.	SE	
3	25	
ESE	E A	
×	SS	
A K	38	
8	A 25	
H	3	
3	85	
NO	IN IN	
12	THO	
I	35 A	
N	TON	
5	SP	1
5	ARE	1
ATE	SNS H	1
i Q	NSK	
8	ME	Control of the Contro
0	405	1

20	2
No.	FOR
EFERENCE M.E.P. PLANS (BY OTHERS) FOR MECHANICAL ECUIPMENT DIMEN PECIFICATIONS.	ONTRACTOR SHALL REFERENCE STRUCTURAL PLANS (BY OTHERS) FOR M CUIPMENT DIMENSIONS AND PAD PREPARATION SPECIFICATIONS.
*	A TION
ECHANIC	PECIFICA
2	A S
ō	55
HERS)	REPARA
6	DP
8	PA
ANS	REFE
-	SION
W 13	FE
2 N	% E
AAG	CTC
22	N. N.
9.0	도 등

ERVATIONS TYPICAL

WATER, STORM SEWER, AND SANITARY SEWER NOTES

4	ri.
SEV PLA MAX WOO NTE AGE	¥8000
NEW NAS.	BE BE
EN THE	MAT
SECOND OF SECOND	No.
NO OLS	SER
PAC NEW THE BUTTE	A AC
ANS ANS AREST	GRO
E NO	PLY
STRI IALL RAN COOP THA T BN	5 M H H
PAN	HA MA
GRUE REAL FEME	331
MITA A MITA	REGAL
THE CORRECTOR SHALL CONTRICT COMENT DOES OF CHITRAL, BROKELS OF STREET HERE A SHOWN OF THE CONTRICTOR STEELS AS SHOWN OF STREET HERE AS SHOWN OF THE CHITRAL STEELS AS SHOWN OF THE CHITRA	ALL ERSTING UNDERGROUND UTLITY LOCATIONS SHOWN ARE APPROXIMATE. CONFINATIONAL COMPLY WITH ALL REQUIREMENTS FOR UTLITY LOCATION COORDINATION IN ACCORDINATE WITH THE NOTES CONTAINED IN THE GEN CONSTRUCTION SECTION OF THIS SHEET.
WER BECT LAB SHC NAEN	S S S
LA BON BON MAN UMB ST ST S	N ST S
SYS SYS MECE AND MISS NTS NTS	N ON A
EN MAN SSA SSA SSA SSA SSA SSA SSA SSA SSA S	#5ª
AAS SED THE THE	SE.
HOW HOW THE STATE OF THE STATE	204
ES. NN C EQ DAMP PREA REA REA REA REA REA REA REA REA REA	CATT
SCH LET AG	J. TE.

=	XXOXO
5	- H K G G
g	SERES
2	JOE # 0
Z	ATE
8	22F48
HE CONTRACTOR SHALL RESTORE ALL DISTURBED VEGETATION IN KIND, UNLE THERWISE.	REFERENCE OF THE CARE LAND COMPANIES OF THE SAME LAND COMPANIES. SECRETARING, SECRE
VEG	OF ALL ROGS NN AN
BED	N S S S S S S S S S S S S S S S S S S S
ž	FOLGE
Des	URV UREL UNIPE WIPE
ij.	2 × 50 50
E E	AND SO SE
9	S S S S S
iii ec	MAN THE
=	A E S S A
ž	F 등로 금투
æ	正常芸を出
2	PARKO
N N	N E E E
THERWISE	E23 #8
E C	S A - A S
ΨĒ	EFLE MITH J MITH J HALL OWER

IN ANY D.L. PIPE FITTINGS. ANY PIPE OR FITTING WHICH IS DAMAGED ON WHICH HAS	IMPERFECTIONS VALICH, IN THE OPPINION OF THE ENGINEER OR OVENER, RENDER FOR USE, SHALL NOT BE USED. ANY PIPE NOT SATISFACTORY FOR USE SHALL BY	MARKED AND MANEDAYELY REMOVED FROM THE JOB SITE, AND SHALL BE REPLAC CONTRACTOR'S EXPENSE.	WATER FOR FIRE FIGHTING SHALL BE MADE AVAILABLE FOR USE BY THE CONTRACT TO COMBUSTIBLES BEING BROUGHT ON SITE.
IN ANY D.L PIPE FITTING	FOR USE, SHALL NOT B	MARKED AND IMMEDIATEL CONTRACTOR'S EXPENSE.	WATER FOR FIRE FIGHT TO COMBUSTIBLES BEIN

AGENCYS SPECIFICATIONS. IN THE EVENT THAT THE CONTRACT DOCUMEN JUREDICTIONAL AGENCY REQUIREMENTS ARE NOT IN AGREEMENT, THE MOS SHALL GOVERN.
UNDERGROUND LINES SHALL BE SURVEYED BY A STATE OF MININESOTA PROFES SURVEYOR PRIOR TO BACK FILLING.
CONTRACTOR SHALL PERFORM, AT HIS OWN EXPENSE, ANY AND ALL TESTS REQU SPECIFICATIONS AND CONTRACY HANDLES JURISDICTION THESE TESTS MACH
MAY NOT BE LIMITED TO, INFILTRATION AND EXFILTRATION, TELEVISION INSPE

THE UTILITY PROVIDER, CAMER AND JURISDICTIONAL AGENCY AS REQUIRED.	 CONTRACTOR SHALL PROVIDE FOR A MINIMUM HORIZONTAL CLEARANCE VENTICAL CLEARANCE OF 18" BETWEEN WATER AND SANITARY SEWER MANHO 	11. IF ANY EXISTING STRUCTURES TO REMAIN ARE DAMAGED DURING CONSTRUCT THE CONTRACTORS REGIONSHELTY TO REPAIR ANDION REPLACE THE EXIST
Y PROVIE	CLEARAN	RACTORS
ER.C	CE OI	RUCT
WINER	18.BE	PONSIN
AND	FOR	OREI
URIE	A N	TOR
DICTIO	ATER A	ARE DA
NAL AC	ND SAN	MAGE
ENCY	EONT	D DURE
AS RE	SEVI	NG C
See	ER M	ONS
ED.	ANC	RUC

	S E A O O
STANDARDS AND SPECIFICATIONS.	1), UNICES OTHERWESE STREEP RCT MAY GIVE TESTED SEARCH SEASON AND
	EXEA P
	NDA HED WEE
1	FLUS FLUS FLUS FLUS TO TO
	BE N US
	DES TOR DJU
	NHO SE
	ARE SELE
	VER STATE
NS.	PER COM
ATIO	NG ME
JF1C	STAT WAHC IG R SH SH PRO.
SPEC	UNIESS OTHERWISE STATED IN ALL STORM SEWER MANHOLES IN HANE TRAFFIC BEARING RING & FINISH ORADE. LIDS SHALL BE STRUCTURES WITHIR PROPOSED FINISHED GRADE.
AND	ERW ENE C BE DE.
SO2	AFF AFF AFF POS
VDAS	E TR H CHU
STA	HAN FINE
	2

M M M	8
PHY AS SHOW JPPLY, AT TO THE OWNER	GOVERNING
TOPOGRAPHIK ING TOPOGRA OR SHALL SU SURVEYOR TO	APPLICABLE
EXIST RACT LAND	ALL
CEPT CONT	WITH
ION IS TAK IS NOT AC HEN THE Y A REGIST	COMPLY
PTION DOI DRVEY BY	SHALL
14. TOPOGRAPHIC BYTORRAYTION IS TAKEN FROM A TOPOGRAPHES SURVEY BY LAND EP THE CONTRACTION DOLE ONT ACCEPT ESTINGS TOPOGRAPHY AS SHOWN OF WITHOUT EXCEPTION. THEN THE CONTRACTOR SHALL SUPPLY AT THEM TOPOGRAPHIC SURVEY BY A REGISTERED LAND SURVEYOR TO THE OWNER FOR IT.	15. CONSTRUCTION SHALL COMPLY WITH ALL APPLICABLE GOVERNING COD
±	15,

RNING	MORTAR
E 30/E	POURED
APPLICABL	TH UNIFORM
4 ALL	SMOO
w w	TAVE A
COMPL	SHALL
SHALL TO SAME.	UCTURES
S. CONSTRUCTION SHALL COMPLY WITH ALL APPLICABLE GOVERNING CC CONSTRUCTED TO SAME.	18. ALL STORM STRUCTURES SHALL HAVE A SMOOTH UNIFORM POURED MORTAR F TO INVERT OUT.
15,	重

 17, ROOF DRANS SHALL DE CONNECTED TO STORM SENER BY PREFARRICAT STORM STRUCTURES, ROOF DRANS AND TRUCK WELL DRAIN SHALL RUN SLOPE, UNLESS WOTED OTHERWISE, AND TRE BY AT THE CENTERLINE OF THE S	18. ALL ROOF AND SANITARY SEWER DRAINS SHALL BE INSULATED IF 7 OF CO.
ES. ROOF TED OTHE	NITARY SE
DRAINS A	WER DRA
NO TRUCK	INS SHALL
SEWER BY WELL DRAIN THE CENTER	BE INSULATE
PREFAIL SHALL LINE OF	ID IF 7
RUN	OF C

ri	GAS, DAVE PROCEED AND ELECTRIC SERVICES SURVAY FOR PURMATIONAL PURPOSES ONLY, DRY USE PROCEDURANTES MAY ATTER THE DESIGNAL ANOAT DUBBOOTHER PRIVENCE CONTINUED TO COORDINATE FINAL DESIGNA AND INSTALLATION WITH UTLITY COMPANIES.
ri	3. COORDINATE UTLITY INSTALLATION WITH IRRIGATION DESIGN AND INSTALLATION.
4	ALL DIMENSIONS ARE TO FLOW LINE OF CURB UNLESS OTHERWISE NOTED. PERIMETER WALL DIMENSIONS ARE TO INSIDE WALL FACE, REFERENCE ARCHITECTURAL PLANS FOR EXACT

20	2
No.	FOR
EFERENCE M.E.P. PLANS (BY OTHERS) FOR MECHANICAL ECUIPMENT DIMEN PECIFICATIONS.	ONTRACTOR SHALL REFERENCE STRUCTURAL PLANS (BY OTHERS) FOR M CUIPMENT DIMENSIONS AND PAD PREPARATION SPECIFICATIONS.
*	A TION
ECHANIC	PECIFICA
2	A S
ō	55
HERS)	REPARA
6	DP
8	PA
ANS	REFE
-	SION
W 13	FE
2 N	% E
AAG	CTC
22	N. N.
9.0	도 등

YPICAL OWNER/ENGINEER OBSERVATIONS	WITRACTOR SHALL NOTIFY OWNER AND/OR ENGINEER 48 HOURS IN ADVANCE OF THE LLOWING ACTIVITIES.	PRE-CONSTRUCTION METRIC, SUBGRADE PREPARATION, BASE MSTALLATION PARAL TRITALLATION, NURREMENDOND PEND AND UTILIERS PATALLATION NSTALLATION OF STRUCTURES, CHECK VANVES, HYDRAKTS, MSTERS, STC. SIDEWALK NSTALLATION, CONHECTIONS TO WATER AND SEWER MANS, TESTS OF UTILITIES
ICAL OWNER/EN	NTRACTOR SHALL NOTIFY OWNER AN	RE-CONSTRUCTION MEETING, SU PHALT INSTALCTION UNDERSER STALLATION OF STRUCTURES, CH STALLATION, CONNECTIONS TO W
>	EST	222

	DI DE COM
	RIOR RIOR HE PICCON
	ALL DS OF TER TER TED
	N ENI
	PIPE OPE ND OF
	OF AND
	CLOS CLOS CLOS CLE BE PL
	CURVA SURELY IS NOT WIPEE
	AND IS. SE(WORN PACES
	AMMACTICATION OF PROCESSORS AND AN ACCORDANGE OF THE SEASON AMMACTICATION AMMACTICATIO
	SPECI SPECI HT PLL AND JO
	ERIS RTIS FAN TO TH
OTHERWISE.	FACTION A WATE L BE CUI RED INT
OTHE	DEFLEC MANUF, WITH A SHALL LOWER PLANS.

	IMPERFECTIONS WHICH IN THE OPINION OF THE BIGGREEN OF OWNERS. REDIGERS OF USES, MAY NOT BE USED, ANY PIPE NOT SATISFACTION YON USE SHALL BE UARKED AND BUNGDAYELY REMOVED FROM THE JOB SITE, AND SHALL BE REPLACE COMTRACTOR'S EXPENSE.
46	WATER FOR FIRE FIGHTING SHALL BE WADE AVALABLE FOR USE BY THE CONTRACT TO COMBUSTIBLES BERIG BROUGHT ON SITE.
	ALL UTILITY AND STORM DRAIN TRENCHES LOCATED UNDER AREAS TO RECEIVE PAY

WARDEL TEXT OR GANATY SERVE, A COPY OF HE EST SERVED. THE UTILITY MOURES OWNER AND JARGESTINAL AGREST SERVED AND THE CONTRACTION SHALL ROOMED FOR A MUNICIPAL CLERACY VEHICLE CLEARANCE OF YETHER WATER WAS AGAITAVE STRIPE JAMES. I. B. ANY EXCEPTION STRUCKS TO SERVED AND AGAITAVE STRUE JAMES. II. B. ANY EXCEPTION STRUCKS OF SERVED AND AGAITAVE STRUE JAMES. THE ANY EXCEPTION STRUCKS OF SERVED AND AGAITAVE STRUE JAMES.

THE CONTROLOGY RESIDENT TO READ ADMINISTRATING THE ESTITE. 1. ALL STORM WERE DITTED STRUCTURES SHALL BE GEOTIED TO ASSURE STRUCTURES SHALL BE GEOTIED TO ASSURE STRUCTURES SHALL BE GEOTIED TO CASURE STRUCTURES STRUCTURES STATED BY CITY AND STRUCTURES BY OFFICE ASSURED STRUCTURES AND STRUCTURES AND STRUCTURES AND STRUCTURES AND STRUCTURES STATED BY REFORM STRUCTURES STATED BY REFORM STRUCTURES STATED BY REFORM STRUCTURES STATED BY REFORM STRUCTURES STATED BY REPORT STRUCTURES STATED BY REPORT STRUCTURES STATED STRUCTURES STATED BY REPORT STRUCTURES STATED STRUCTURES STATED STRUCTURES STATED STRUCTURES STATED STRUCTURES STATED STRUCTURES STATED STATED STATED STRUCTURES STATED STATE

A K SEE
SE 교육수
SES OF
SER. M
ES SEC
OEREO
San Par
2 3 2 2 2 2 3 E E
O T STO
FOT. R
LESEES!
A MA
A 2 8 8 4
FAN
OZOWE
A UNICES OFFREE STATE DE TAY NO STATE DESAN STANDARDS A LAUTZOUR STANDARD SENDENCES IN PRESENCE TREATER PROPERTY FANNES TRAFFE (SERVER) PRICE OFFICES, MANAGEMEN PROPERTY FANNES ORACIE. LOS SHALL, BE LABELDS STOND SERVEY. ESTEN THE PROPERTY PROPERTY BATTERS SHALL BE ADMISTED TO MEET THE THE PROPERTY PROPERTY OF SHALL BE ADMISTED TO MEET THE
SEAMER
A H B H B B
0540-5
N H CH W
WW. BW
HE SES
PRESE
SOR FOR
E SESTE
SASTER
ri .
-

PHY AS SHO JPPLY, AT THE OWNER	GOVERNING
TOPOGRAPHIE NG TOPOGRA SP SHALL SI SURVEYOR TO	APPLICABLE
EXIST RACT LAND	ALL
ERED	WITH
ION IS TAK IS NOT AC HEN THE Y A REGIST	COMPLY
FORMAT TOR DOI TION, T RVEY B	SHALL
 TOPOGRAPHIC BYTORNATION IS TAKEN FROM A TOPOGRAPHIC SURVEY BY BY THE CONTRACTOR DOIS NOT ACCEPT EXISTING TOPOGRAPHY AS SHO WITHOUT EXCEPTION. THEN THE CONTRACTOR SHALL SUPPLY, AT TOPOGRAPHIC SURVEY BY A REGISTERED LAND SURVEYOR TO THE OWNER 	15. CONSTRUCTION SHALL COMPLY WITH ALL APPLICABLE GOVERNING
ź	15,

WITHOUT EXCEPTION, THEN THE CONTRACTOR SHALL SUPPLY, AT THE TOPOGRAPHIC SURVEY BY A REGISTERED LAND SURVEYOR TO THE OWNER FO	15, CONSTRUCTION SHALL COMPLY WITH ALL APPLICABLE GOVERNING CONSTRUCTED TO SAME.	
LAND	ALL	
STEREC	WITH	
YAREGE	COMPLY	
URVEY B	SHALL TO SAME	
APHIC S	UCTION	
TOPOGR	CONSTRUCTION SHALL CONSTRUCTED TO SAME	
	15,	

ō	95
RNING	MORTA
30/6	OURED
PLICABLE	INFORM P
ALL A	MOOTH
MIDH	WEAS
COMPLY	SHALL HA
SHALL SAME.	CTURES
 CONSTRUCTION SHALL COMPLY WITH ALL APPLICABLE GOVERNING CL CONSTRUCTED TO SAME. 	 ALL STORM STRUCTURES SHALL HAVE A SMOOTH UNIFORM POURED MORTAR. TO INVERT OUT.
15,	100

F THE	5	
STORM STRUCTURES, ROOF DRAMS AND TRUCK WELL DRAIN SHALL RUN SLOPE, UNLESS NOTED OTHERWISE, AND TIE IN AT THE CENTERLINE OF THE I	18. ALL ROOF AND SANITARY SEWER DRAINS SHALL BE INSULATED IF 7 OF DIPROVIDED.	The This court have been been been britished britished by the been seen and
THE	85	0000
E BN AT	SHALL	
NS AND	DRAINS	Same.
OF DRAM	SEWER	Borrea
URES. RO NOTED OT	SANITARY	on course or
LESS	NP.	BACT
E, UN	ROOF	Viscon
STO	PROP	374
	20	

PERIM LANS F	DIMENS
E NOTED.	BUILDING
HERMIS	EXACT
SS O	FOR
URB UNLE	OTHERS).
ACE OF	(8)
WALL DINS.	PLANS
ALL DIMENSIONS ARE TO FLOW LIVE OF CURB UNLESS OTHERWISE NOTED. PERIMI DIMENSIONS ARE TO NUSIDE WALL FACE. REFERENCE ARCHITECTURAL PLANS F WALL WIDTH AND SECHEGATIONS.	REFERENCE ARCHITECTURAL PLANS (BY OTHERS). FOR EXACT BUILDING DIMENS
ARE TAND SP	ARCHIT
NSIONS NSIONS L WIDTH	RENCE
DIME	REFE

DIN	FOR
REFERENCE M.E.P. PLANS (BY OTHERS) FOR MECHANICAL EQUIPMENT DIMI SPECFICATIONS.	CONTRACTOR SHALL REFERENCE STRUCTURAL PLANS (8Y OTHERS) FOR EQUIPMENT DIMENSIONS AND PAD PREPARATION SPECIFICATIONS.
7	TIO
ECHANIC	PLANS
FOR M	TURAL VITICH S
HERS	REPAR
BY OT	PAD P
ANS (REFER
4	SION
H 15	NE SE
REFERENCE M.E.	RACTOR MENT DI
SPECI	CONT

REFER TO GEDTECHNICAL REPORT NO. B1705617
BRAIN BYTER TIC CORPORATION
MANELAPOLS, ANS SASS
DATED ALLY 18, 2017

GENERAL CONSTRUCTION NOTES

C100

GRADING AND DRAINAGE NOTES

0 80
GENERAL CONTRACTOR AND ALL SUBCONTRACTORS SHALL VERBY THE SUITABELTY OF EXISTING AND PREPORTED SITE CONDITIONS BICLUDING GRADES AND DIBEISISSURE BETANT OF CONSTRUCTION. THE ENGINEER SHALL BE NOTIFED IMMEDIATELY OF DIGGERANCIES.
ALL VERBY TO GRADES AND NOTIFIED I
UDING ALL BE
NS INCL
SUBCOR
WID ALL
ONTRACTOR A ND PROPOSEI CONSTRUCTIONS
SENERAL CON- EXISTING AND START OF CC

THE CHITMATON SHALL GRADE THE SITE TO THE ELEVATIONS RIDICATED. AND SHALL UBDITS A GREENEY PROSESSARY AND REGRADE VARIOUTS WHERE THEY OFFICING AFTER EVERY PER THE A GRASE STAND IS WELL ESTRABISHED OR ADCOUNT ESTABLIZATION OCCURE.	CONTRACTOR SHALL ENSURE THERE IS POSITIVE DRABAGE FROW THE PROPOSED BU SO DINTS SHALL SENIOUF PILL DRAIN PY SHAWITTY TO HEW DAISTING DRABAMAGE CONTRACTOR SHALL ISSURE NO PRODRES COCCHES BY PANDS AREA AND SHALL TRUMERER BY ANY GARMOR DOCEDERACIES ARE FOUND THE EXISTING AND PRI GARDES PRICE TO PLACERENT OF PARENTY OF UTILITIES.
SHALL ERY R	ED BU AGE O SHALL ID PR

ALL CONTRACTORS AND SUBCONTRACTORS INVOLVED WITH STORM WATER POLLUTION PRESENTION SHALL OSFINA A COPY OF THE STORM WATER POLLUTION PRESENTION PLAN AND THE STATE OF MINNESOTA MATIONAL POLLUTANT DISCHARGE ELIMENTION SYSTEM SORREAL FEMAL PROSES FERMINA HAD BECOME MALIAN WITH THEIR CONTEST. BEST MANGEMENT PRACTICES IBMPS) AND CONTROLS SHALL CONFORM TO FEDERAL CONTROLS SHALL CONTROLL AS APPLICABLE. THE CONTROLTOR SHALL IMPLEMENT ADDITIONAL CONTROLS AS DRECTED BY THE PERMITTING AGENCY OWNER.

THE STORM WATER POLUTION PREVENTION PLAN ("MIPPP") IS COMPRISED OF THE EROSSID CONTROL PLAN THE STRUNDED IN PEAN AMERITAE. ATTACHMENTS INCLUDED IN THE SPECIALIZED THE WATER AMERITAE. ATTACHMENTS INCLUDED IN THE SPECIALIZED ATTACHMENT WAS DEFINED BY A STRUNDED IN THE SPECIALIZED AND OF THE SWAPPP. JULIS THE PERMIT AND ALL SUBSECUENT REPORTS AN

EROSION CONTROL NOTES

SENERAL CONSTRUCTION NOTES

N IN S TO	AND THE S TO
REMA TURE	RDS. ROSS ER OF
CONTRACTOR SHALL PROTECT ALL MANHOLE CONERS, VALVE COVERS, VALVE TOPERS TO SHE PYREMET, POWER POETS, SALV YMEED HOMES THAT ARE TO REAMN IN A CASAL AND UNDITIONED CONTRACTOR SERVING THE REMAIN BY CASTRUCTURES TO REAMN SHALL BE ADJUSTED TO MATCH THE PROPOSED PRINCED SARDES.	ASACKTIL FOR UTLITY LIKES SHALL BE PLACED PER DETAILS. STANDANDS, AND PERFECTATIONS OF MAY THE UTLITY WALL BE CARRIEL, WHERE UTLITY LIKES CAGGS THE PARKING LOT THE TOP RECORDS SHALL BE COMPACTED SHALLARY TO THE REMANDER OF THE PARKING THAT OFFICIAL BE WALLEY VEHICLED OURNO THE EXCANATION PROCESS TO HISTORY TAXALLIANCE AND ALL BE WALLEY VEHICLED OURNO THE EXCANATION PROCESS TO HISTORY TAXALLIANCE SHALL BY VEHICLED OUR TO THE SECREPTION OF THE SECREPTION OF THE PARKING THAT THE PARKING THAT THE PARKING THE PARKING THAT THE PARKING THE PARKING THAT THE PARKING THAT THE PARKING THAT THE PARKING THAT THE PARKING THE PARKING THAT THE PARKING THE PARKING THAT THE PARKING THAT THE PARKING THAT THE PARKING THE PARKING THAT THE PARKING THAT THE PARKING THE PARKING THAT THE PARKING THE PARKING THE PARKING THE PARKING THAT THE PARKING THE PARKING THAT THE PARKING THE PARK
HAT A	THE N
ASTIN	RE U
NE BC	PER WHE
OVERS LEPHO LEXIS OSED P	STABLE CTED STED DE
ND TE	ASPEC
MANH RES. A SHSTR	TY WILL BE CALLY B
T ALL UY WI ING CO	S SHA
ES, GA	T THE BNCHE
ALL PR	TOP 6
POWE UNDIS	MACKFIL FOR UTILITY LINES SHALL BE PECIFICATIONS SO THAT THE UTILITY WILL B WARKNOLOT, THE TOP 6 INCHES SHALL BE COM OT, UTILITY DETORS SHALL BE WISHLIFT IN INCH
RACTI ANTS. E AND IN SHA	FICAT
TYDE	PEC PEC

THE TREP NEW CONTRICTORDES DES BANDRADOR A CONTRICTOR THAT MILL IN THE TRANSPOCK OF LORNOO ESTIMATE REPORT OF WASHINGTON THE RESPECTATION OF THE PROPERTY OF T

TEMPORARY SEEDING OR OTHER APPROVED METHODS OF STABILIZATION SHALL BE IN WITHIN 7 DAYS OF THE LAST DISTURBANCE ON ANY AREA OF THE SITE. THE CONTRACTOR SHALL MEMIZE CLEARING TO THE MAXIMUM EXTER REQUIRED BY THE GENERAL PERMIT.

물물은	AT BY
52 96 55	E 0
SCE SCE	9 ×
SOS	TE
233	00
A R C	13
523	0.4
FOX	29
男と男	9.5
AR B	32
2 2 2	P.E.
DUS	98
FEG	40
EC PA	N. W.
NS O	EAS
NA BE	A A
O FEE	H G
五名を記	A A
ES	ENS:
F 5 3 4	1 THE
ARE ARE	800
SE SE	SP
5 H 5 H	52
XF 등	20
THE STATEMENT OF THE STATEMENT OF THE STATEMENT WHERE UTLIN, WHERE OFFICE AND STATEMENT OF THE STATEMENT OF THE TOP OF MACHINE SHALL BE COMPACTED SMALLARY TO THE REMANDER OF THE TOP, OFFICE SHALL BE KNALLY WESPECTED DURING THE EXCANATION PROCESS TO	MYTRACTOR IS RESPONSIBLE FOR THE REMOVAL AND REPLACEMBNT OF 4" OF TOPSOR, AT ADMPTED OF WORK, ALL UNPANED AREAS, IN EXISTING RIGHTS-OF-LIVAY DISTURBED BY A THE COLORS OF
SSEE	SAC ET
SUR SUR	TAN

CONTRACTOR SHALL DENOTE ON PLAN THE TEMPORARY PARKIG, AND STORAGE AREA WHICH SHALL ALSO BE USED AS THE EQUIPMENT MANTENANCE AND CLEANING AREA EMPLOYEE PARKING AREA, AND AREA FOR LOCATING PORTABLE FACILITIES, OFFICE THALES, AND TOLET FACILITIES.

SUFFICIENT OIL AND GREASE ABSORBING MATERIALS AND FLOTATION BOOMS SHALL MATARIADED ON SITE OR READRY ANALABLE TO CONTAIN AND CLEARLYP FUEL OR CHEMIC SPILLS AND LEAKLY. THE CONTRACTOR SHALL BE RESPONSIBLE FOR DUST CONTROL ON SITE, THE USE OF MOTORIAL AND OTHER PETROCEUM BASED OR TOXIC LIQUIDS FOR DUST SUPPRESSI POPERATIONS IS PROHESTED.

ALL WASH WATER (CONCRETE TRUCKS, VEHICLE CLEANING, EQUIPMENT CLEANING SHALL BE DETANIED AND PROPERLYTREATED OR DISPOSED.

IT IS THE CONTRACTOR'S RESPONSEMENTY TO CONTACT THE VARIOUS UTILITY COMPANIES WHITH ON WHAT HAY HAVE BUILD ON RESULT UTILITIES WHITH ON WHAT PROCESSES AND A CONTRACTORS SHALL PRODUCE AS HOUSEN SHALL PRODUCE TO ALL UTILITY COMPANIES PRIOR TO BEGINNING CONSTRUCTION. THE CONTRACTOR SHALL BE RESPONSIBLE FOR DETAINING ALL REQUIRES CONSTRUCTION PERMITS AND BONDS IF REQUIRED PRICE TO CONSTRUCTION. THE CONTRACTOR SHALL HAVE ANALAGES AT THE COST STEET AS LITTURE ONE COPY OF THE CONTRACTOR DECLARACES WELLONG PANS, SPECIFICATIONS, OFFICIAL CONDITIONS AND COPIES OF ANY REQUIRED CONSTRUCTION PREPORT AND SPECIAL CONDITIONS AND COPIES OF ANY REQUIRED CONSTRUCTION PREPURED.

	1. AFTER PACEMENT OF SUBMAND AND PRIOR TO PACEMENT OF PACEMENT CONTRACTOR ADMINISTRATION TO ADMINISTRATION OF SUBMAND AND ADMINISTRATION OF SUBMAND AND ADMINISTRATION OF SUBMAND AND ADMINISTRATION OF SUBMAND AND ADMINISTRATION OF SUBMAND ADMINISTRATION
--	--

ġ	HE	ER
5	A ER	38
ì	NO	2 2
3	S S S	SIGN
5	LA SE	200
	S T O	A H
5	S S S S S S S S S S S S S S S S S S S	AND W
2	S. S.	35
1	AS THE	28T
	AL AL	38
	NEB BEB INA	五五
	SPT OF OR	S N
	NE SE	NAT
	DE LAN	RD I
ì	2 2 2 2	900
	ANG PARE	王台
	INS ION PR	A IS
	N TOOL	TOTO
	F S S S C	AVA
	TO SO	EXC EXC
	ST ST	S HE
The second secon	THE CONTRACTOR SHALL NISTALL PROTECTION OVER ALL DRAMAGE STRUCTURES FOR THE DURANTION CHOUGHT ACCEPTANCE OF THE PROJECT BY THE OWNER, ALL DOMANGE STRUCTURES SHALL BE "ELEMED OF DERBIS AS REQUIRED DURING AND AT THE BID OF CONSTRUCTION TO PROVIDE POSITIVE DRAMAGE FLOWS.	F DEMATERNS IS REQUIRED. THE CONTRACTOR SHALL GRIAN ANY APPLICABLE REQUIRED PERMITS, THE CONTRACTOR IS TO COORDINATE WITH THE OWNER AND THE DESIGN BYGANEER PRESS TO ANY EXCANATION.
	PAN	RAMI
	F 2 2 2	# # # #

ALL STAGING AREAS, STOCKPILES, SPOILS, ETC. SHALL BE LOCATED SUCH THAT THEY WALL THAT ADVISELY AFFECT STORM WATER OLDLY APPRECE TO STORM WATER OLD WAS COVERNO OR ENCIRCING THESE AREAS WITH SOME PROTECTIVE MEASURE WALL BE NECESSARY.

all storm water pollution prevention measures presented on the plan sh ritated as soon as is practicable.

RUBBÍSH TRÁSH, GARBAGE, LITTER OR OTHER RUCH MATERBIAS, SHALL BE DEPOSITED INTO SEALED CONTAMERS, MATERBIAS SHALL BE PREVENTED FROM LEARING THE PREJUSES THOUGH THE CHARLS OF WIND OR STORM WATER DECHARGE BYTO ERARAGE DITCHES OR WATER 55 THE STATE.

ANY DISCREPANCIES ON THE DRAMMOS SHALL BE IMMEDIATELY BROUGHT. TO THE ATTENTION OF THE COWER AND ENUMER REFORE COMMENCING WORK, NO FIELD CHANGES OR DEVATIONS FROM DESIGNA ARE TO BE MADE WITHOUT PRIOR APPROVAL OF THE UNDERSTROAD OF THE UNDERSTROAD.

ALL ENGSION CONTROL DEVICES ARE TO BE INSTALLED IN ACCORDANCE WITH THE APPROVED PLANS AND SPECIFICATIONS FOR THIS PROJECT, CHANGES ARE TO BE APPROVED BEFORE CONSTRUCTION BY THE DESIGN ENGINEER AND THE CITY OF MANLE CARCAE UNDERSEASO DAISON.

F THE EROGINA CONTROL PLAN AG APPROVED CANNOT CONTROL EROGION AND OFF-SITE SEQUENTIATING FROM THE PROJECT. THE EROGICA CONTROL PLAN WILL HANK TO BE REVISED ANDOR ADDITIONAL EROGING CONTROL PACES WILL BE REQUIRED ON SITE. ANY PROVISED THE REDISEASON CONTROL PLAN MADE BY THE CONTRACTOR MUST BE APPROVED BY THE ROBGING CONTROL PLAN MADE BY THE CONTRACTOR MUST BE

G AB	WAT
PLANTIN N ROAD B ESIRABLE OF IN A LI	STORM
16. THE CONTRACTOR SHALL ENSURE THAT LANDSCAPE ISLAND FLANTING AREANTRING OF CONTRACTOR SHALL BLASS ARE NOT COURS. AND DO NOT CONTRACTOR SHALL ALSO EXCANATE AND REMOVE ALL UNDESTRABLE MAN AREAS OF THE SITE TO BE PLANTED AND PROPERLY DISPOSED OF IN A LEGAL.	. THE CONTRACTOR SHALL INSTALL ALL UNDERGROUND STORM
D AND R	ALL U
SURE TO COMPACTE XCAVATE ANTED AN	INSTALL
E NOT C	SHALL
CONTRACTOR S TING AREAS AR RACTOR SHALL S ON THE SITE I	CONTRACTOR
PLAN	THE
4	10

ALL PANNE, CONTRUCTOR MATERIALS. AND WORKMAPPER WITHER JURISOFTTANS
THE ALL PANNE, CHARLOW, MATERIAL AND WORKMAPPER WITH CHARLOW THE TRIPICTIONS AND STANDARD AND ATTAINED AND STANDARD AND STANDARD AND STANDARD AND STANDARD AND STANDARD AND STANDARD STAND

PAVING AND STRIPING NOTES

CONTRACTOR SHALL PURNISH ALL PANEMENT MARKNIGS FOR FIRE LANES, ROADWAY LANES, PARKNIG STALLS, ACCESSIBLE, PARKNIG STALES STALLES, STORE BARS AND STORE, ARD MISCELLAREOUS STRIPPIG MITHER THE PARKNIG OT AS SHOWN ON THE PLANS.

ALL SIGNS, PAVEMBYT MARKINGS, AND OTHER TRAFFIC CONTROL DEVICES SHALL CONF. TO MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES (M.U.T.C.D) AND CITY STANDARDS.

THE MATERALS AND PROPERTIES OF ALL CONCRETE SHALL MEET THE APPLICABLE REQUIREMENTS IN THE A.C.A. (AMERICAN CONCRETE INSTITUTE) MANUAL OF CONCRETE CONTRACTOR SHALL APPLY A SECRID COATRIG ONER ALL PAVEMBIT MARKRIGS PRIOR TO ACCEPTOR WHER FOLLOWED BY A COAT OF GLASS BEADS AS APPLICABLE PER THE PROJECT DOCIMENTS.

THE MINIMUM LENGTH OF OFFSET JORITS AT RADIUS PORITS SHALL BE 2 FEET.
ALL JOHTS, INCLUDING EXPANSION JONTS WITH REMOVABLE TACK STRIPS, SHALL
SALED WITH JOHT SEAJANT.

	33	
	20	
	88	
	08	
	2 8	
	CCI	
	50	
	A A	
	95	
	ES	
	¥5	
9	85	
ũ	35	
ź.	8 T2	
ä	22	
7	90	
Ĕ	2	
ž	5 A -	
S	NA A	
ĕ	SATE	
0	BALB	
ž	2 × 2	
NS.	SPA	
Ë	8 2 2	
2	ALL	
CONDITIONS AND CONSTRUCTION DOCUMENT	THE CONTRACTOR IS RESPONSIBLE FOR LOCATING AND PROTECTING EMISTING LISHALL BEARING ALL DAMAGE TO EXISTING UTILITIES THAT OCCUR DURING COWITHOUT COMPENSATION.	

	Zv
	ALL PROPOSED GRADES CNISITE SHALL BE 3.1 OR FLATTER UNLESS OTHERVAISE INDICATED ON THE PLANS. ANY SLOPES STEEPER THAN 4.1 REQUIRE EROSICN AND SEDMENT CONTROL AMELT.
	NED
E.	SE B
BRAD	SEC
NG	AND DA
E SE	SS
0	ROS
Š.	RE E
N B	¥3
SITIK	8 =
RAN	23
10	H.
Ή	SHA
100	STEE
K SN	E CO
WOR	SLO
18	¥ 6
NE,	S. S.
A ENDINEW EARTHWORK SMOOTHLY TO TRANSITION BACK TO EXISTING GRADE	PLAN KET.
S	THE T

S.E.	55
38	<
STORM	ASSURE
E &	2
2 4	>
ECESSARY N PLAN	NECESSAR
S To	62 46
NDITIONS A XN PREVEN ON ACTIVITIE	PAVEMENT
IS AND CO POLLUTIC NSTRUCTI	EXISTING
2 2 2	55
ADHERE TO ALL TERMS AND CONDITIONS AS NECESSARY IN THE GENERAL IN. AND STORMWATER POLLUTION PREVENTION PLAN FOR STORMWATE ASSOCIATED WITH CONSTRUCTION ACTIVITIES.	ADJUST ANDIOR CUT EXISTING PAVEMENT AS NECESSARY TO ASSURE A SACONTINUOUS GRADE.
	40

PAVE	
ET WITHIN	EQ'D
DES ARE I	TS R
NINUM GRA	REPOF
ENSURE MI	TEST
CONTRACTOR SHALL ENSURE MINIMUM GRADES ARE MET WITHIN PAVEL ASPHALT PAVING AND 2/5% FOR CONCRETE PAVING.	IRD PARTY TEST REPORTS REQ'D
CONTRAC	RDP

CLOSE OUT INCLUDE, BUT ARE NOT LIMITED TO:


THE FOLLOWING:	INLET PROTECTION DEVICES AND BARRIERS SHALL BE REPAIRED OR REPLAC SHOW SIGNS OF UNDERMINING, OR DETERIORATION.	1. ALI SEEDED AREAS SHALL BE CHECKED REGULARLYTO SEE THAT A GO MANTANED. AREAS SHOULD BE FERTILIZED, WATERED AND RESEEDED FOR MANTENANCE REQUIREMENTS REFER TO THE STANDARD SPECIFIC


THE CONSTRUCTION ENTRANCE(S) SHALL BE MANTANED IN A C	MCE(S) SHALL
MALL PRECUIRE PERIODIC TOP DRESCING OF THE CONSTRUCTION	OF FLOW OF MU
CONDITIONS DIMAND.	OF DRESSING O
	E CONSTRUCTION ENTRA L PREVENT TRACKING C Y REQUIRE PERIODIC TO NOTTONS DEMAND.


THE TEMPORARY PARKING AND STORAGE AREA SHALL BE KEPT IN GOOD CONDITION SAUTABLE FOR PARKING AND STORAGE, THIS MAY RECUBLE PERIODIC TOP DESISTING THE TEMPORARY PARKING AS CONDITIONS DEBAND. ALL MANTENANCE OPERATIONS SHALL BE DONE IN A TIMELY MANNER BUT IN N CASE LATER THAN 2 CALENDAR DAYS FOLLOWING THE INSPECTION.


MINICAL PARKON PORRENT, CONTINCE DO BALLONES, TOTALE ACCESSION FOUR PROPERTY OF THE ACCESSION FOUR PROPERTY. WE NO CASE AND EDWARD FOUR PROPERTY OF THE ACCESSION FOUND FOUR PROPERTY OF THE ACCESSION FOUND FOUND FOUR PROPERTY OF THE ACCESSION FOUND F


any éxisting pavement, curbs, andror sidénalks daraged or removed url, be Réparée dy the contractor at his expense to the satisfaction of the engineer and dyner,





























ENDEAVOR DEVELOPMENT

ARBOR LAKES - BUILDING A


SECUNCES

RECORD DAMMAGE NIEDZY

RECORD DAMMA

C704

PRELIMINARY - NOT FOR CONSTRUCTION





FOR REFERENCE


ENDEAVOR


200 Southdale Center Minneapole, MN 55435 952.210.5870 Kimley » Horn

NO EUSTIS STREET, SLITE 100 ST. PALL, MN 53114 (851) 645-199









OVERALL BUILDING A LANDSCAPE PLAN

MAPLE GROVE, MINNESOTA **PARK ARBOR LAKES BUSINESS**





ENDEAVOR



ThOM.	The same of the sa	9									0	40				SI THE STORY
1		SPACING		T. 42'0.C	T. 36' O.C.	T. 48" O.C.	T. 48" O.C.	T. 48" O.C.	T. 30' O.C.	7. 36 O.C.	SPACIN.	SIZE	18.00	30.00		MOSCOPE RECUIREMENT AND ACCURATE AND ACCURAT
		CONT	#3 CONT.	#2 CONT.	#S CONT.	#5 CONT.	#5 CONT.	#5 CONT.	#2 CONT.	#5 CONT.	ET CONT.	CONT	#1 CONT	#I CONT		APE REQ MANAGER OF A MANAGER OF A MANAGER OF THE MANAGER OF THE O
, ,			M				9							EED GRASS		LANDSC, CORT TREE MANU, THE MANU, THE LOT TO MANUERS ON MANUERS ON
			AN VIBLIRNI	EA	ROSE	9	MUSKINGUM GRAY DOGWOOD	PER	MCKAY'S WHITE POTENTILL!		2		YLEY	FEATHER R		IONN AAL SEE SEE SEE SEE SEE SEE SEE SEE SEE SE
		COMMON NAME	WARF EUROPEAN VIB	FIRE LIGHT SPIREA	FOXI PAVEMENT ROSE	FRAGRANT SUMAC	KINGUM GR	WINT JULEP JUNIPER	AY S WHITE	ALTON YEW	SOMMON NAME	OWNON NAME	UBY STELLA DAYLILY	ARL FOERSTER FEATH		RE DRAINA THE ATTENT AGE IN SUBSTANTI SUBSTANTI ATIONS OF ATIONS OF SPORTION OD MULCH OD MULCH OD MULCH ATIVE EA ATIVE BA
		8	DW	FIRE	FOX	FRAC	NUS	MINT	MCK	TAL	NOS TEL	COM	RUB	KAR		LOR PROPE LUCHT TO 11 HE LANDSO AGE DRAIN E DATE OF 1 EXACT LOC EXACT LOC EXACT LOC EXACT LOC EXACT LOC EXACT LOC EXACT LOC OREATE & OR E SI SI TO BE SI OR HARDWO AND HARDWO AN
									MATE.					RL FOERSTE		INTELLIBRATION OF THE DESIGNATION OF THE PROPER DEALWAY OF THE WILLIAM ATTENTION OF THE WILLIAM ATTENTION OF THE WILLIAM ATTENTION OF THE WILLIAM OF THE WILLIAM OF THE WILLIAM OWN THE OF THE THE THE THE WILLIAM OWN THE OF THE THE THE THE WILLIAM OWN THE OF THE THE THE WILLIAM OWN THE OF THE THE WILLIAM OWN THE WILLIAM OF THE WILLIAM OF THE WILLIAM OF THE WILLIAM OWN THE WILLIAM OF THE WILLIAM OF THE WILLIAM OF THE WILLIAM OF THE WILLIAM OWN THE WILLIAM OF THE WILLIAM OWN THE WILL AND WITH THE WILLIAM OWN THE WILL AND WITH THE WILLIAM OWN THE WILL AND WITH THE WILL AND WIT
			NUN.		VEMENT	MO1-	USKINGHAM	MONLEP	MCKAYS	IINC	RILIN		STELLA"	TIFLORA 'KA		TOWARE ANGEONEE TO ALLOW ON PROPISE DANAMORE WAS CONSTRONG MALE, AR RANCOLL TO THE ATTENDANCE TO ALLOW AND
N P		NAME	VIBURNUM OPULUS 'NANUM	SPIRAEA X FIRE LIGHT	ROSA RUGOSA 'FOXI PAVEME!	RHUS ARONATICA 'GRO-LOW	CORNUS RACEMOSA 'MUSKIN	JUNIPERUS CHINENSIS 'MON	POTENTILLA FRUTICOSA 'MCKA	TAXUS X MEDIA TAUNTON	NAME RIUM SCOPA	NAME	HEMEROCALLIS X 'RUBY STELLA	STIS X ACU		CONTRACTION ARE ADE CONTRACTOR AND ADE SAME ECONOMING OF WAS SAME ECONOMING OF WAS SAME EFFELD ADJAN SAME EFFE SAME EFFE
77TH AVENUE N		BOTANICAL NAME	VIBURNUM	SPIRAEAX	ROSA RUGG	RHUS ARON	CORNUS RA	JUNIPERUS	POTENTILLA	TAXUS X ME	SCHIZACHYRIUM SCO	BOTANICAL NAME	EMEROCAL	CALAMAGRO		D COMPAC UNDESIRA UNDESIRA HROLOH TO BEC HROLOH TO BEC HROLOH TO BE ADS. PLANTING STEEL ED MUJAL TRE MUJAL
77TH		Ϋ́		286	9	91.	22	3	174		315	ŽĮ.	2	4		CONDITIONS AND COUNTING THE STATE OF THE STA
11	SEE LANDSCAPE PLAN, SHEET L102	CODE	DEV	FLS	FPR	780	MGD	7	MAN	WAL	CODE	CODE	Ĩ	N/G		IN THE TEXT CONDITIONS AND COUNTERFORM METCH ARE ADDICED. THE CONDITIONS AND COUNTERFORM CONTRIBUTION OF THE CONDITION OF TH
B 444 44	SEE LANDSCAPE PLAN, SHEET L101	21									NI S	INIS		DESCRIPTION OF THE PARTY OF THE		AN ENGAGE FOR THE THAT GOLD CONDITIONS AND COUNTED ME ACCOUNT TO ALLOW TO PROPER DISHAGOD AND ENGAGE AND
N 10 10 10 10 10 10 10 10 10 10 10 10 10	O P S S S S S S S S S S S S S S S S S S	SHRU	0	0	0	0	0	0	0 (0	O	PEREN				E 70 BE 2
	BUILDING A BUILDING A	SIZE						SIZE			SIZE	105				THE WAS THE CHREET TO TOO OF THE AMERICAN STACKARD ON THE CHREET TO THOSE THE AMERICAN STACKARD ON THE CHREET CHREET SHALL AND TOO Y DESCRIBES AND SHALL AND THE CHREET CHREET CHREET SHALL AND THOSE SHALL AND THESE SHALL AND THE
		3	LS CAL	S.CAL.	2.5° CAL	S. CAL.	S-CAL	¥	Ē	Ē	4	PACING	. O.C.	PER PLAN	9.00	THE ARRICAN STANDAY OLD SHIRLS SHALL INA OLD SHIRLS SHALL INA SHEER SHALL NOT IN SHEER SHALL NOT IN THE SHALL NOT IN THE SHALL NOT IN WAS CHARLESTED TO THE SHEER COMPLETE BE SHARLTED TO THE WAS CHARLESTED TO THE WAS CHARLESTED TO THE WAS CHARLESTED TO THE SHEER SHALL NOT IN WAS CHARLESTED TO THE WAS CHARL
		TWO	8 8	8 4	8.8			NT N			IN S		CONT. 4	CONT. P		HE AMERICA WE NO VC WE NO VC B TREES B B TREES B B ESUBMIT BE SUBMIT BE SUBMIT BE NEDED FOR NEDED PONC GRAP PONC GRAP PONC GRAP
o man die		OI	60	8	8		80	ăl			8 a	ď		8 2	2	TION OF 11 S SWALL 14 S SWALL 14 S SWALL 14 FACE: B & FA
# OH 14				0			EE.				TREELING		NCREDIBALL SWOOTH HYDRANGE	EBARK	JCKLE	NA WITTER CHREAT EITHON OF CHREAT EITHON EITHO
100		NAME	NT.	HOLD GINKG		COMMON HACKBERRY	KENTUCKY COFFEETRE	TAME	PINE		JAPANESE	AME	LL SWOOTH	BLUE CHIP JUNIPER BURGLINDY GANDY NINEBARK	WARF BUSH HONEYSUCK	Y WITH THE CLI NALESS WAS ARREST THAN 6 MADINE THAN 6 MADINE THE STAN 10 MADINE THE ST
A 10 10 10 10 10 10 10 10 10 10 10 10 10		COMMON NAME	AMERICAN ELM	AUTUMN GOLD GIN	BUR DAK	COMMON	KENTUCKY	COMMON NAME	AUSTRIAN PIN	WHITE FIR	COMMON NAME	COMMON NAME	NCREDIBA	BLUE CHIP JUNIPER BURGUNDY CANDY	DWARF BUS	COMPLY WITH COMPLY WITH COMPLY WITH COMPLY WITH COMPLET THAN OWER THAN OWE THAN OWER THAN OWER THAN OWER THAN OWE THAN O
													5			THE
1 2 2			ORGE	.0			ESSO.				SILK		NCREDIBAL	NE CHIP		MARRIANDES SHALL CORN'S WITH THE CLINE AMERICAN CORN'S WALL CORN'S WITH THE CLINE SCHOOLS AND THE SECURIES HEAD TO CARACHETER SCHOOLS AND THE SECURIES HEAD TO CARACHETER SURFACE AND THE SECURIES HEAD TO CARACHETER ASSURED AND THE SECURIES HEAD TO CARACHETER SURFACE AND THE SECURIES HEAD TO CARACHETER AND THE SECURIES HEAD TO CARACHETER SURFACE AND THE SECURIES HERE AND TO CARACHETER
10. mt 100. mt.			NA VALLEY	SINKGO BILOBA 'AUTUMN GOLI	CARPA	TALIS	IOICA ESPR				ATA IVORY		MESCENS	ILINIPERUS HORIZONTALIS 'BLUE CHIIP' HYSDCARPUS OPULIFOLIUS 'PODARAS	ž	ब्रीन अस्य अस्य ४
7 10 0 00 10 10 10 10 10 10 10 10 10 10 1		BOTANICAL NAME	JUNUS AMERICANA "VALLEY	10 BILOBA	QUERCUS MACROCARP	CELTIS OCCIDENTALIS	GYMNOCLABUS BIOICA	SOTANICAL NAME	NUS NIGRA	BIES CONCOLOR	SYRWGA RETICULATA	BOTANICAL NAME	YDRANGEA ARBO	RUS HORIZ	ERVILLA LONICER.	THE NATURE AN THE NATURE AND STEE SHANGE AND STEE SHEED AT NO THE BASED UPON SEMEL VERREY SAME. SEMEL VERREY AFFECT PAINT THE SHALL VERREY SAME. SEMEL WAS SAME.
100 mm m		DIY BOTA	ULM	GINNE	ane	CELT	GYM	TY BOTA	PINUS	ABIES	SYRIN	2TY BOTA	HYDR	JUNE 1	DIERN	THOSE RELATED TO THE INATION BELATION TO THE INATION BY MAKE A RESERVANCE AND THE ANALYSIS OF
1		SODE	AEM 3	A00 s	BOK 1	GHB	KCT 7	CODE	AUP 7	MFR 16	× ×	CODE G	AHA 74	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	27 HBC	NS RELATII CAPE ARC CAPE ARC CAPE ARC SHALL BE S
20 vote 20 de 10 d	ENDATED AND THE SAME	TREES						TREES		1966		-,		_	-	THE THIRD CONSIDIONS RELATING TO THE NATURE, AND THIRD CONSIDIONS. THE CANDELS AND
Maria del	ZACHARY LANE	DECIDIOUS TREES	0	~	\odot	4	0	VERGREEN	<u>ي</u>	A .	0	HRUBS (0 (0 0	0	H EXISTIM ENTION OF ENTION OF ES AND REC ES AND REC ONSTRUC CONSTRUC AND PLAN
1	JAVAGUE		(ن	-(9		4	4	, F	,	osi				BIND TO THE STATE OF THE STATE
																BECOME FAMILIAN WITH ESSENDE CONDITIONS RELLATING TO THE WALDER AND BRIND TO THE WALDER AND BRIND THE LANGECHE ABCHETE DISCIPIENANCES IN THE LANGECHE ABCHETE DISCIPIENANCES IN THE LANGECHE ABCHETE DISCIPIENANCES OF THE LANGE TO THE THE LANGE TO THE LANGE TO THE LANGE TO THE THE LANGE TO THE

	FRAGRANT SUMAC	#S CONT.	48" 0.C.		
	MUSKINGUM GRAY DOGWOOD	OD #S CONT.	48" 0.0.		
	MINT JULEP JUNIPER	#5 CONT.	48" O.C.		
.31	MCKAY'S WHITE POTENTILLA	A #2 CONT.	30. o.c.		
	TAUTON YEW	#S CONT.	36 O.C.		
	COMMON NAME	CONT	SPACING	SIZE	
	LITTLE BLUE STEM	#1 CONT.	18" 0.C.		
	COMMON NAME	CONT	SIZE	SPACING	
	RUBY STELLA DAYLILY	#1 CONT	18.00.		
FOERSTER	KARI, POERSTER FEATHER REED GRASS	REED GRASS #1 CONT	96.00		
ALLOW FOR BE BROUGH	ALLOW FOR PROPER DRAINAGE BE BROUGHT TO THE ATTENTION	LANDSCAPE REQUIREMENTS	REMENTS		
ALL BE THE	ALL BE THE LANDSCAPE	THE MINIM IN NIMBER OF CHERETORY	OWERETORY	REQUIRED	PAC
SON THE DA	IOM THE DATE OF SUBSTANTIAL	TREES ON A LOT SHALL BE THE FIGURE OF THE DISTRIBUTION OF THE	BY 40 THE ENMETER OF	LOT 1 PERIMETER (NORTH AND WEST SIDES) 1,584 LF	P. F.
SED ON EXA	ED ON EXACT LOCATIONS OF	AS HALF TREES, SMALL UPRIGHT TREES, SMALL SPREADING TREES, SHRUBS, UNDERSTORY TREES, OR ORNAMENTAL TREES ELIAL NOT SE BUT LIDER TO	PRICHT TREES. SHRUBS. DRNAMENTAL	1,584 / 40 - 38.85 40 OVERSTORY	
SATION		COUNTY OF REQUIRED OVERSTORY TREES.	ERSTORY TREES.		
AS INDICATE IBS AND SID ADTH TO CR DEN BEDS T	IS INDICATED, STEEL EDGING BS AND SIDEWALKS FOR EDGING ADTH TO CREATE SEPARATION DEN BEDS TO BE SPADED EDGE.	SCREENING SHALL BE INSTALLED SO AS TO PROPODE VASALAL REPORTE ANY SUCH MANNER THAT RESPONSY VISING OF THE OBJECT WISHOUT THE NA WANNER THAT RESPONSY SHOOLOF THE OBJECT BEING SCREENED BUT IS NOT PROPOSED TO "CYALLY BE OCK THE VISION OF ANY MANNER OF THE VISION OF THE V	ALLED SO AS TO R. ANY SUCH SIBILITY IN A VISION OF THE BUT IS NOT DCK THE VISION	TREES AND SHRUBS REQUIRED TO SCREEN VIEWS OF TRUCK PARKING.	TR. PR.
TKE USE UP	ANDWOOD MULCH	OF ANY SUCH UBULE			

2000	RECUIRED	PROPOSED
THE MINIMUM NUMBER OF OVERSTORY	BUILDING A	BUILDING A
TREES ON A LOT SHALL BE THE FIGURE	LOT 1 PERIMETER 67 OVERSTORY	67 OVERSTORY
DETERMINED BY DIVIDING BY 40 THE	CNORTH AND WEST TREES PROPOSED	TREES PROPOSE
NUMBER OF FEET IN THE PENIMETER OF	SIDLS1 1.594 LF	
THE LOT, TREES WHICH ARE CONSIDERED		
AS HALF TREES, SMALL UPRIGHT TREES,	1,594 / 40 - 39.85	
SMALL SPREADING TREES, SHRUBS.		
UNDERSTORY TREES, OR ORNAMENTAL	40 DVERSTORY	
TREES SHALL NOT BE INCLUDED IN THE	TREES REQUIRED	
COUNTY OF REQUIRED OVERSTORY TREES.		
SCREENING SHALL BE INSTALLED SO AS TO		
PROVIDE A VISUAL BARRIER, ANY RUCH	TREES AND	TREES AND
BARRIER SHALL REDUCE VISIBILITY IN A	SHRIBS	SHRUBS
WANNER THAT RESTRICTS VISION OF THE	REGUIRED TO	PROPOSUD TO
OBJECT BEING SCREENED BUT IS NOT	SCREEN VEWS OF	SCREEN VIEWS OF
REQUIRED TO TOTALLY BLOCK THE VIRION	TRUCK PARKING.	TRUCK PARKING.
OF ANY SUCH DISLECT		


OF CURB AS SHOWN ON THE LANDSCAPE PLAN. BOULDERS AND PLACEMENT TO BE APPROVED BY OWNER PRIOR TO INSTALLATION, SEE DETAIL ON SHEET L103.	22 MANTH WITE SHERIAL MANTH CONTERNATE WITH PRODUCT COURT LESS OF WARTH WITH SERVICE WITH A MAINT SHOULD FELL THE WAS INTERNATED WITH A MAINT SHOULD FELL THE WAS INTERNATED WITH A MAINT SHOULD FELL THE MAINT WITH SHE SHOULD WAS INTO WAS INTERNATED WITH WAS INTERNATED WITH A MAINT SHOULD FELL THE WAS INTERNATED WAS INTERNATED.
---	--


INSTALL 18" DEPTH OF PLANTING SOIL IN AREAS RECEIVING GROUND COVER, SHRUBS, PERENNALS, A ANNILALS UNLESS OTHERWISE NOTED. 8. TREE WRAPPING SWALL OCCUR IN THE FALL DN OCTOBER 16 AND REMDUE WRAPPING AFTER APRIL 18. APR Y PREJEKTEREN THERBUCK PRECE IN GP APPROVED EQUAL IN ANULAL, PERBNALL AND SHRUI BEIDS FOLLOWED TO SHRUICAND SHRUING TO SHRUING THE SHRUING THE STANDING TO SHRUING THE STANDING THE


IN ALL PARKING LOT ISLANDS AND IN PLANTING BEDS WITHIN 20 OF BULLDINGS, A 12 CEPTH OF GRAN SERSER TRANS DESCAPATIVE ROCK, MICHOL 1982 J. 1- 57, 2-67 CHAMETERS J. A MINIMULA 12 DEFITH APPROVED EGAL, BIALL EI NSTALLED, ROCK MULCH TO BE ON COMMERCIAL, GANGE FILTER ARE TYPH TO ARRANGED GOLLAL, WITH NO EXPOSSIBLE, MULCH AND FARRIC TO BE APPROVED BY ON PRIOR TO BISSLALLATION.

ALL DISTANCES TO OR GREATER FROM BALLDINGS INSTALL FORE BREADED HARDWOOD BARK
ALCH THRISK AT CONFIGURATION BEED CONTACT WHITH THE SECTION THRICK TOWNSHOOD SHEET STATEMENT TO THE SECTION BEED CONTACT WHITH THE SECTION SHEET STATEMENT THRICK THRICK

ALL DISTANCIS AT OR GREATER PROM BALLDINGS INSTALL C'EDES EMELDIDED MERINADOD BARK WILLOLD CHESSA WITH PROGLECULE INSECTIONATION WITH REPRESE STEERS. ALL DISTANCIS AT OR GREATER FROM BALLDINGS REPRESE STEERS, ALL DISTANCIS AT OR GREATER FROM BALLDINGS RESILL, OF ESP EMERDIDED MARKADOD BARK WILLON PROSECULE, ANATHRALICH WITH WILLON FROM BTEERS OF PRENAMALS "DANT









GEVELOPMENT OF VELOPMENT 200 Servation Central Management (NS 8335 94245.870 Kimley » Horn IRRIGATION PLAN L200 MAPLE GROVE, MINNESOTA CITY SUBMITTAL Pesciption **PARK ARBOR LAKES BUSINESS** 77TH AVENUE N 3a t v v **SACHARY LANE**









From: To: Derek Asche Brett Angell

Cc:

Jupe Hale; Kelly Matzke; John Hagen; Jay Murzyn; Derek Asche; Brandt, Mike

Subject:

Water Resources Review - REVISED Arbor Lakes Business Park II

Date: Attachments:

Wednesday, April 7, 2021 3:11:55 PM

Letter of Credit Template 100218.pdf

Stormwater BMP Maintenance Declaration template.docx Construction Activity Site Inspection Checklist.xlsx

All, please see my comments below on the REVISED Arbor Lakes Business Park II submittal.

- 1. Plan set is dated 3/19/21
- 2. Permits and/or reviews required:
 - a. City of Maple Grove grading permit if greater than 50 cubic yards of cut/fill. Grading permit application can be found here.
 - i. Grading Permit fee based on area and quantity of cut/fill is required.
 - ii. Grading Surety based on disturbed area is required. Surety can be cash or letter of credit (LOC). If LOC, please follow the format on the attached example and provide me a draft for review and approval by our City Attorney before finalizing the document.
 - iii. Grading permit fee and surety worksheet can be found here.
 - b. NPDES Construction Activity permit required
 - c. Shingle Creek Watershed review
 - i. Submit a revised copy of the plans and Shingle Creek Application to me at the City of Maple Grove and I will forward to the Watershed. Fee can go directly to the watershed. Electronic plans are easiest to provide to the watershed.
 - d. A right-of-way permit may be required for work in the right-of-way. Contact Kelly Matzke at 763.494.6365
 - e. A utility permit may be required for watermain, sanitary, or storm sewer. Contact the Building Division at 763.494.6060
- 3. Rate Control provided regionally
- 4. Water Quality provided regionally
- 5. Volume Control provided regionally.
- 6. SWPPP needs preparer signature on erosion and sediment control sheets.
- 7. Provide storm sewer sizing calculations. STRM 300 is receiving water from two 42" pipes & on 15" pipe and discharging into a 42"pipe which is part of the trunk system. There is concern water will surcharge at STRM 300 for less than the 10 year event.
- 8. The SE corner of the site discharges to private storm sewer. Confirmation required this is acceptable.

Derek

Derek Asche

Water Resources Engineer 763-494-6354



12800 Arbor Lakes Parkway, P.O. Box 1180, Maple Grove, MN 55311-6180

FIRE-RESCUE DEPARTMENT

Fire Operations 763-494-6300 763-494-6421 – Fax

Fire Prevention 763-494-6090 763-494-6439-Fax

April 2, 2021

RE: Arbor Lakes Business Park Phase 2 - Site Plan Review

We have reviewed the proposed concept plans for Arbor Lakes Business Park Phase 2 and have the following comments:

 Fire Apparatus Access Roads: Approved fire apparatus access roads shall be provided for every facility, building, or portion of a building hereafter constructed or moved into or within the jurisdiction. The fire apparatus access road shall extend to within 150 feet of all portions of the facility or any portion of the exterior wall of the first story of the building as measured by an approved route around the exterior of the building.

Comments:

- Appears to meet.
- 2. Design: Fire apparatus roads shall be designed with a 20 foot width and maintained to support the imposed loads of fire apparatus (77,000 lb. gross weight) and shall be provided with a surface to provide all-weather driving capabilities. Longitudinal grade shall not exceed 6 percent or lateral grade shall not exceed 2 percent. Both grades shall not be used together. Fire apparatus access roads shall be a minimum of 30 feet and a maximum of 80 feet from buildings and shall be positioned parallel to the side of the building. A 20-foot inside and a 40-foot outside turning radius shall be provided for fire apparatus access and approved turnarounds. Maple Grove City Code, Chapter 18, Article III.

Comments:

• The southeast entrance shows a 14% grade. Maximum longitudinal grade is 6% and the transition at grade change must allow firetrucks to enter and leave without damage. Elevations for this shown on C500 and C502 do not match. Please clarify.

- 3. Fire sprinkler water mains shall be brought into a one-hour fire resistive room and shall have exterior access, a drain, an emergency light pack, and a sidewalk to the public way.
 - a. If an undue hardship exists in meeting these requirements, a letter on company letterhead may be sent explaining the hard ship in detail and requesting one the following alternates shall be sent to the fire department to the attention of the deputy fire chief, fire prevention.
 - A yard post indicator valve must be downstream from the domestic (at the point where the domestic and fire split, on the fire side) or provide a separate fire main.
 A gate valve shall be installed on the domestic side.
 - ii. A wall post indicator valve.

Maple Grove City Code, Chapter 18, Article III, Fire Prevention Code.

Comments:

- Appears to meet.
- 4. Water supplies for fire protection: Where a portion of the facility or building hereafter constructed or moved into or within the jurisdiction is more than 150 feet from a hydrant on a fire apparatus road, as measured by an approved route around the exterior of the facility or building, on site fire hydrants and mains shall be provided where required by the code official. Maple Grove City Code, Chapter 18, Article III, Fire Prevention Code.

Comments:

- Verify the number and spacing of hydrants meet the requirements of MSFC Appendix C as adopted by Maple Grove City Code, Chapter 18 Article III, Fire Prevention Code.
 - o Hydrants do not meet spacing requirement.
 - Please relocate the hydrants shown along the north wall:
 - Move the hydrant on the 3^{rd} island (from the west) to the 2^{nd} island.
 - Move the hydrant on the northeast corner to the 4th island.
 - Add 1 hydrant at the east employee parking entrance.
- Hydrants shall be at least 15 feet away from all utilities (i.e. transformers). Maple Grove City Code, Chapter 18 Article III, Fire Prevention Code sec. 18-82.
- Small hose connections in accordance with NFPA 13 (2016), section 12.2.1 may be required in areas containing high-piled storage.
- Location of Fire Hydrants and General Requirements: Hydrants shall be located within a
 reasonable distance from driving surface; five feet minimum from curb (fire department access).
 If hydrant is located in a safety island and cannot be located back five (5) feet from the curb, the

hydrant shall be centered in the safety island. It is the fire department's preference to locate a fire hydrant along the driveway entrance, unless only one fire hydrant is being installed and needs to be located closer to the fire department connection.

- a. A fire hydrant shall be located within 100 feet of the fire department connection.
- Hydrants and valves shall not be located closer than 40 feet from the building. NFPA 24, Section 7.2
- c. If hydrants are located in front of parking spaces or roadways, a fire lane will be designated in front measuring 10 feet in each direction. MSFC, Section 503.3; Maple Grove City Code, Chapter 18, Article III.
- d. Fire hydrants and other fire protection equipment must not be obstructed or the view of the equipment blocked. A minimum clearance of five (5) feet shall be provided and maintained around fire hydrants and other fire protection equipment. The full-anticipated growth of the trees and shrubs must be considered when planting. A five (5) foot clearance must be provided when the landscaping reaches maturity. Any landscaping planted should be placed so it will meet the future clearance requirements at maturity. Maple Grove City Code, Chapter 18, Article III, Fire Prevention Code, Section 18-82.
- e. Hydrants, gate valves, and valve boxes, etc., and their installation shall be in accordance with City of Maple Grove specifications.

Comments:

- Locations of all valves shall be approved.
- 6. Building Access Doors: Where building access is required by Table 3206.2, fire department access doors shall be provided in accordance with MSFC 3206.7.

Comments:


- Due to the planned use of the building, fire department access doors will be required.
 Approved access walkways shall be provided for each access door.
- The north wall appears to be missing an access door.

Please feel free to contact me if you have any questions.

Sincerely,

Bill Beumer

Fire Inspector 763-494-6095



MEMORANDUM

TO:

Endeavor Development - Arbor Lakes Business Park Phase II

FROM:

Arbor Committee

DATE:

May 3, 2021

SUBJECT:

Arbor Lakes Business Park Phase II PUD Development Stage Plan and Final Plat

- Arbor Committee Review

The following comments are based upon review of plans submitted to the City of Maple Grove on March 29, 2021 by the Maple Grove Arbor Committee:

1. Plans show for the planting of 14 Hackberry and 16 White Fir trees, exceeding the maximum of 20% of the same genus (13). Landscape plans and plating plans must be amended to not exceed 20% of the same tree genus.

2. Arbor Committee recommends the use of structured soils as the trees are being planted in

small islands which may lead to difficulty for survival.

3. Arbor Committee recommends checking the amount of soil over main roots and removal of any soil over 2 inches.

STAFF REPORT TO THE PLANNING COMMISSION May 10, 2021

MHV Housing 55+ Planned Unit Development Residential Development Stage Plan Final Plat

Applicant:

Roers Investments

Andy Bollig

110 Cheshire Lane, Suite 120 Minnetonka, MN 55305

Owner:

Same

Requested Action:

Planned Unit Development (PUD) development stage plan and final plat

for the purpose of constructing 169-unit market rate active 55+ rental

housing development.

Location:

Grove Circle North and 99th Place North

Zoning:

PUD, Planned Unit Development

Adjacent Land Use and Zoning:

North:

R-A, Single-Family Agricultural District

East: South:

PUD, Planned Unit Development PUD, Planned Unit Development

West:

PUD, Planned Unit Development

Application Received:

April 12, 2021

60 Day Review Deadline:

June 11, 2021

STAFF COMMENTS:

- The applicant is requesting PUD development stage plan and final plat approval for a 169-unit market rate, 55+ rental housing building.
- The proposed building is just west of Grove Circle North, and south of the recently approved apartment building in the Minnesota Health Village campus.
- The building is shown in generally the same location and configuration as the approved concept plan for this area.
- Staff has no major issues with the proposal as it is consistent with the approved concept plan for this area.

Staff Report to the Planning Commission Peter Vickerman, Project Manager- X6046 MHV Housing 55+ Planned Unit Development Residential Development Stage Plan, Final Plat May 10, 2021 Page 2

OTHER ITEMS OF NOTE:

- The proposal is consistent with the overall number of rental units in the Minnesota Health Village. The approved concept plan showed 400 total apartment units. Between the two buildings the applicant is showing 419, which is within 10% of the approved concept plan.
- The applicant is proposing several amenities including:
 - o A pool
 - o Clubroom
 - o Game Room
 - o Golf Simulator
 - o Fitness Center
 - o Coffee/Lounge
 - o Large patio & courtyard overlooking the open space area
 - o Pickleball
 - o Community garden spaces
- The applicant is showing an attractive building with a mix of brick. stone, and cement siding. The applicant adjusted their plans to add more brick to the front façade based on staff's initial review.
- The applicant is showing ample landscaping with both overstory and ornamental trees. In addition, they are proposing a large number of shrubs and perennials. The Arbor Committee commented that the plan looked good.

STAFF RECOMMENDATION:

Motion to recommend that the City Council direct the City Attorney to draft a Resolution and a Planned Unit Development agreement approving the MHV Housing 55+ PUD development stage plan and final plat subject to:

- 1. The applicant addressing to the satisfaction of the city any remaining applicable comments contained in the memorandums from:
 - a. The Water Resources Engineer dated April 21, 2021
 - b. The Fire Department dated April 26, 2021
 - c. The Parks & Recreation Department dated May 4, 2021

Staff Report to the Planning Commission Peter Vickerman, Project Manager- X6046 MHV Housing 55+ Planned Unit Development Residential Development Stage Plan, Final Plat May 10, 2021 Page 3

The applicant shall acknowledge that Park Dedication requirements are based on staff review and recommendation to the Park and Recreation Board and their subsequent board action. Board meetings are held on the third Thursday of each month.

ATTACHMENTS:

Attachment A: Narrative Attachment B: Location Map

Attachment C: Maps

Attachment D: Memorandums



MAPLE GROVE 55+ RISOR PROJECT- 169 UNITS



Development Plan
Grove Circle North, Maple Grove, MN 55369
Project Narrative
April 12, 2021

Developer: Roers Companies: 110 Cheshire Lane, Suite 120 Minnetonka, MN 55305

Architect: Kaas Wilson Architects: 1301 American Blvd E, Suite 100 Bloomington, MN 55425

Engineering: Sambatek, Inc: 12800 Whitewater Drive, Suite 300 Minnetonka, MN 55343











1. DEVELOPER BACKGROUND

Roers Companies is a fully integrated real estate development and property management company with assets operating and under construction totaling over \$800 Million. Based in Minnetonka, Minnesota, the company builds and operates communities across the Midwest with over 41 assets spread across Minnesota, lowa, North Dakota, South Dakota, and Wisconsin. They take pride in the communities they build and seek to build long term relationships with the cities and neighborhood they invest in.

2. PROJECT VISION

Roers Companies is proposing a new construction, rental housing community in Maple Grove, Minnesota. The community would be in close proximity to a range of new developments including retail and convenience. The primary retail node is The Grove, which straddles Maple Grove Parkway and Grove Circle North. This area is adjacent of the Site and contains numerous retailers anchored by Target, Slumberland, Haskels, and Home Depot, among others. This area features Maple Grove Hospital as well as close proximity to the Parkway station mass transit hub. A Hy-Vee grocery is also planned adjacent to The Grove.

More specifically, the Site is located in a new, large PUD called Minnesota Health Village, which was previously reviewed and approved by the applicant Ryan Companies. Roers' proposed 169-unit market rate active 55+ development closely aligns with the housing concept design and use as approved by the city previously. The Health Village is west of Maple Grove Hospital, on the southeast of quadrant of Interstate 94 and Highway 610. When completed, Health Village is projected to contain over one million square feet of office and specialty medical space and over 500 housing units (including the subject development).

Roers intends to include a highly amenitized building to help foster a sense of community. Each of the 55+ future planned development and the market rate development will have their own amenity packages geared towards the demographic dynamics of each community. Roers does not intend to share these amenities of each community due to the age restrictions of the 55+ community. The planned community amenities for this 55+ project include:


- Fitness Center- An approximate 1,100 SF fitness center with state-of-the-art equipment overlooking the outdoor pool/courtyard area.
- Outdoor Pickle Ball Courts- A full-sized pickle ball court near the patio of the building encourages an active lifestyle for residents.
- Community Lounge- Large open shared community lounge that can accommodate private events (birthday, holiday, and other event parties) and overlooks the outdoor pool/courtyard area to engage residents and create a sense of community.
- Underground Heated Parking- One stall per unit will be available for resident use in the underground heated garage.
- Outdoor Patio- An outdoor patio area will be situated near the pool and have outdoor seating and grill stations to encourage outdoor resident engagement.





- Coffee Bar- A gourmet coffee machine will be provided for residents to use for residents with onthe-go lifestyles and helps bring residents to common areas to further community engagement.
- Pet Spa- A large majority of our residents have pets, and this amenity space will include a stand-up pet wash station, dryer, as well as treats for their loved ones.
- Outdoor Pool- large outdoor pool will be provided for the residents use during the hot summer days.
- Business Center- An approximate 1,100 SF business center/ WiFi lounge will be provided to the
 guests for their use as more and more residents are going to a work from home environment. This
 space will look over the pond and public trails to the South.
- Community Gardens- A handful of raised garden beds will be available to residents who are interested in gardening.
- Golf Simulator- A full-sized indoor golf simulator will be available to residents, which will provide entertainment year-round.
- Rooftop Deck and Sky Lounge- Residents will enjoy beautiful views overlooking the lake.


Floorplan of first floor amenities/ units:



Parking Summary

The proposed development is providing 244 spaces, 195 of which will be heated, underground, garage parking stalls. There will be 49 stalls for parking on the surface lot.






NEIGHBORHOOD LOCATION MAP







Roers Maple Grove 55+ Apartments

Attachment C



1.0 FLOOR PLANS LEVEL 2-3 FLOOR PLANS LEVEL 4 **EXTERIOR ELEVATIONS EXTERIOR ELEVATIONS EXTERIOR ELEVATIONS** FLOOR PLANS LEVEL -1 FLOOR PLANS LEVEL 1 EXTERIOR MATERIALS PROJECT SUMMARY CONTENTS PROJECT DATA RENDERINGS RENDERINGS SITE PLAN



PROJECT TEAM

DEVELOPMENT

Roers Companies 110 Cheshire Ln #120 Minnetonka, MN 55305 (763) 285-8808

ARCHITECT
Kaas Wilson Architects
1301American Blvd E, Suite 100
Bloomington, MN 55425
(612) 879-6000

Minnetonka, Minnesota 55343 (763) 476-6010 CIVIL ENGINEER
Sambatek
12800 Whitewater Drive Suite 300

SITE METRICS

ADDRESS Grove Circle N. Maple Grove, MN 55369

PARCEL AREA

139,014 SQ.FT. (3.19ACRES)

PUD ZONING PROJECT SUMMARY



PLANNING METRICS

Zoning Proposed: PUD

Height Proposed: 4 Stories / 48 Feet

Density Proposed: 52.97 Units per Acre

<u>Lot Coverage</u> Proposed: 67.8% Impervious Coverage

19.6' from ROW Setbacks Proposed:

Vehicle Parking Proposed: 244 Stalls / 1.44 stalls per units

Level	Area
evel 4	52,063 ft²
evel 3	47,198 ft²
evel 2	52,053 ft²
evel 1	54,161 ft²
_evel-1	68,596 ft²
Grand total	274 071 ft2

43,377 ft²

8,736 ft² 2,781 ft² 3,213 ft²

695 ft² 803 ft²

4 4 4

Unit 1-2 Unit 1-2 Unit 1-3

1BR +D

Main Floor Total Area

Count

Name

1BR

Unit 1-0

Area

UNIT MIX - GROSS AREA

Level	Type	Count
Level-1	Garage	173
Level-1	Garage - Tandem	22
evel 1	Surface	49

Unit 2-0	39		39,459 ft ²
Unit 2-2	4	915 ft²	3,658 ft²
Jnit 2-3	က	989 ft²	2.968 ft²
Unit 2-5	2	944 ft²	1,889 ft ²
Unit 3-0	20		

Unit 3-1	16	1,370 ft²	21,920 ft²	90
Unit 3-2	က	1,333 ft²	4,000 ft ²	2%
Unit 3-3	4	1,395 ft²	5,578 ft²	2%
Unit 3-4	4	1,188 ft²	4.754 ft²	20/
Unit 3-5	2	1.293 ft²	2 586 #2	10/

Init 0-0	447 ft²	447 ft²	1%
----------	---------	---------	----

48 FT HEIGHT

279,119 SQ FT 4 STORIES 169 UNITS **DWELLING UNITS** GROSS SQ FT STORIES

SITE PLAN KEY

- BUILDING ENTRANCE
- SARAGE ENTRANCE
- COMMUNITY PATIO
- COURTYARD AMENITY
- S LOADING ZONE
- COMMUNITY GARDEN
- ROOFTOP DECK

PLAZA BELOW

POOL BUILDING

PICKLE BALL

COLORED SITE PLAN PALETTE

ASPHALT

SIDEWALK 1

SIDEWALK 2

GRASS 1

GRASS 2

WATER

BUILDING

1 SD Site Plan 1" = 100'-0"

SITE PLAN



Color Scheme Legend

1BR +D

1BR

Roers Maple Grove 55+ Apartments

FLOOR PLANS LEVEL 1



FLOOR PLANS LEVEL -1

1 Level -1 1" = 50'-0"

Color Scheme Legend

Circulation

Core

1BR +D

1BR

2BR

1 Level 2 1" = 50'-0"



FLOOR PLANS LEVEL 2-3


Color Scheme Legend

1BR +D

1BR

FLOOR PLANS LEVEL 4

1 Level 4 1" = 50'-0"





RENDERINGS

RENDERINGS





(3) o



3 Elevation 3 - a 1" = 20'-0"





(3) E

7.1

4.1


1 7.1 1 Elevation 9 - a 7.2 7.3

3 Elevation 11 - a 1" = 20'-0"



EXTERIOR ELEVATIONS

2 Elevation 10 - a 1" = 20'-0"




2 Elevation 13 - a 1" = 20'-0"

628 C 628 C

EXTERIOR ELEVATIONS

1 Elevation 12 - a





Client ROERS INVESTMENTS

110 CHESHIRE LN #120, MINNETONKA, MN 55305

MHV 55+ HOUSING

Location MAPLE GROVE, MN


Certification


Summary

Sheet Title SITE PLAN

Sheet No. Revision

C3.01Project No. 22345.01





From: To: Derek Asche
Peter Vickerman

Cc:

Jupe Hale; Jay Murzyn; John Hagen; Kelly Matzke; Derek Asche

Subject: Date:

MHV 55+ Housing - Water Resources Review Wednesday, April 21, 2021 9:18:02 AM

Attachments:

Letter of Credit Template 100218.pdf

image002.jpg

Stormwater BMP Maintenance Declaration template.docx Construction Activity Site Inspection Checklist.xlsx

All, please see below my Water Resources comments on the MHV 55+ Senior Housing.

- 1. Plan set is dated 4.12.21
- 2. A signed copy of the plans is required for approval.
- 3. No T-Zone present.
- 4. No wetlands on-site.
- 5. No floodplain on-site.
- 6. Shoreland present on extreme south portion.
- 7. Permits and/or reviews required:
 - a. City of Maple Grove grading permit if greater than 50 cubic yards of cut/fill. Grading permit application can be found here">here.
 - i. Grading Permit fee based on area and quantity of cut/fill is required.
 - ii. Grading Surety based on disturbed area is required. Surety can be cash or letter of credit (LOC). If LOC, please follow the format on the attached example and provide me a draft for review and approval by our City Attorney before finalizing the document.
 - iii. Grading permit fee and surety worksheet can be found here.
 - b. NPDES Construction Activity permit
 - c. Elm Creek Watershed review
 - i. Submit a revised copy of the plans, Elm Creek Application, and fee to me at the City of Maple Grove and I will forward to the Watershed. Electronic plans are easiest to provide to the watershed.
 - d. A right-of-way permit may be required for work in the right-of-way. Contact Kelly Matzke at 763.494.6365
 - e. A utility permit may be required for watermain, sanitary, or storm sewer. Contact the Building Division at 763.494.6060
- 8. Rate Control provided regionally
- 9. Water Quality provided regionally
- 10. Volume control provided regionally final infiltration testing results required
- 11. Provide SWPPP if not covered under Project 100 NPDES Permit
- 12. Sheet C4.01
 - a. Add note that street sweeping of Grove Cir is required 1x per week
 - b. Show rock construction entrance/exit
- 13. Sheet C7.01
 - a. Confirm IE of STMH 200 for as-built.
 - b. Provide location and detail for storm lift station.

Derek Asche

Water Resources Engineer 763-494-6354 dasche@maplegrovemn.gov





12800 Arbor Lakes Parkway, P.O. Box 1180, Maple Grove, MN 55311-6180

FIRE-RESCUE DEPARTMENT

Fire Operations 763-494-6300 763-494-6421 – Fax

Fire Prevention 763-494-6090 763-494-6439-Fax

April 26, 2021

RE: MHV 55+ Housing Site Plan Review

Fire department has reviewed the proposed concept plans for ROERS 55+ Housing and have the following comments:

 Fire Apparatus Access Roads: Approved fire apparatus access roads shall be provided for every facility, building, or portion of a building hereafter constructed or moved into or within the jurisdiction. The fire apparatus access road shall extend to within 150 feet of all portions of the facility or any portion of the exterior wall of the first story of the building as measured by an approved route around the exterior of the building.

Comments:

- When access roads cannot be installed due to topography, waterways, nonnegotiable grades or other similar conditions, the chief is authorized to require <u>additional</u> fire protection as specified in the 2020 MSFC, Section 503.
- 2. Design: Fire apparatus roads shall be designed with a 20 foot width and maintained to support the imposed loads of fire apparatus (77,000 lb. gross weight) and shall be provided with a surface to provide all-weather driving capabilities. Longitudinal grade shall not exceed 6 percent or lateral grade shall not exceed 2 percent. Both grades shall not be used together. Fire apparatus access roads shall be a minimum of 30 feet and a maximum of 80 feet from buildings and shall be positioned parallel to the side of the building. A 20-foot inside and a 40-foot outside turning radius shall be provided for fire apparatus access and approved turnarounds. Maple Grove City Code, Chapter 18, Article III, Policy FPB-4

Comments:

Appears to meet.

3. Aerial Fire Apparatus Access Roads: Width. Aerial fire apparatus access roads shall have a minimum unobstructed width of 26 feet, exclusive of shoulders, in the immediate vicinity of the building or portion thereof.

Comments:

- Appears to meet.
- 4. Combination Water Service Lines: In buildings where a high-water usage is likely or when the maximum size of domestic water on combination fire sprinkler / domestic water line in the building exceeds 1/4 size of the water supply line, an electric solenoid valve shall be installed on the domestic side of the service, including the lawn sprinkler system. This valve shall be normally powered open and shall close on loss of electric power or signal from the automatic fire sprinkler system water flow indicator. Maple Grove City Code, Chapter 18, Article III, Fire Prevention Code, FPB-Policy 3.
 - a. e.g. 6" combination service 1 ½ inch domestic maximum

Comments:

- Separate lines are shown.
- 5. Fire sprinkler water mains shall be brought into a one-hour fire resistive room and shall have direct exterior access, a drain, an emergency light pack, and a sidewalk to the public way.
 - a. If an undue hardship exists in meeting these requirements, a letter on company letterhead may be sent explaining the hard ship in detail and requesting one the following alternates shall be sent to the fire department to the attention of the deputy fire chief, fire prevention.
 - A yard post indicator valve must be downstream from the domestic (at the point where the domestic and fire split, on the fire side) or provide a separate fire main.
 A gate valve shall be installed on the domestic side.
 - ii. A wall post indicator valve.

Yard post indicator valves and wall post indicator valves must meet requirements of NFPA 24. Yard post indicator valves shall be located not less than 40 feet from the building. Exception: When post indicator valves cannot be placed at this distance, they shall be permitted to be located closer, or wall post indicator valves used, provided they are in locations by blank walls or located diagonally at a corner of the building were the possibility of injury by falling walls is unlikely. Installation shall be in accordance with NFPA 24. Maple Grove City Code, Chapter 18, Article III, Fire Prevention Code, FPB-Policy 3.

Comments:

- Please identify the location of the sprinkler riser room.
- The location of the fire department connection is noted on the Utility Plan Sheet C6.01. Location must be approved by Fire Inspections.
- 6. Location of Fire Hydrants and General Requirements: Hydrants shall be located within a reasonable distance from driving surface; five feet minimum from curb (fire department access). If hydrant is located in a safety island and cannot be located back five (5) feet from the curb, the hydrant shall be centered in the safety island. It is the fire department's preference to locate a fire hydrant along the driveway entrance, unless only one fire hydrant is being installed and needs to be located closer to the fire department connection.
 - a. A fire hydrant shall be located within 100 feet of the fire department connection. FPB-3.
 - b. Hydrants and valves shall not be located closer than 40 feet from the building. NFPA 24.
 - c. If hydrants are located in front of parking spaces or roadways, a fire lane will be designated in front measuring 10 feet in each direction. MSFC, Section 503.3; Maple Grove City Code, Chapter 18, Article III, Policy FPB-1
 - d. Fire hydrants and other fire protection equipment must not be obstructed or the view of the equipment blocked. A minimum clearance of five (5) feet shall be provided and maintained around fire hydrants and other fire protection equipment. The full-anticipated growth of the trees and shrubs must be considered when planting. Any landscaping planted should be placed so it will meet the future clearance requirements at maturity. Maple Grove City Code, Chapter 18, Article III, Fire Prevention Code.
 - e. Hydrants, gate valves, and valve boxes, etc., and their installation shall be in accordance with City of Maple Grove specifications.
 - f. Water mains serving multiple hydrants shall be looped systems, designed to minimize the number of dead-end hydrant(s).

Comments:

- Fire hydrant does not appear to be located within 100 feet of fire department connection.
- Both hydrants serving the front of the building appear to be on the same dead-end water main. Please revise.
- The fire hydrant by the back patio does not appear to be serviced by a water main. Please show the water main that is feeding this hydrant.

Please feel free to contact me or we can meet in person if you have any questions or need any clarifications.

MHV 55+ Housing Page | 4

Sincerely,

Eric Lind

Fire Inspector Office: 763-494-6094 Cell: 612-598-0969

ELind@MapleGroveMN.gov



MEMORANDUM

TO: Peter Vickerman – Planning Manager

FROM: Ben Jaszewski – Superintendent of Parks and Planning

DATE: May 4, 2021

SUBJECT: Minnesota Health Village 55+ – PUD Development Stage Plan

After reviewing the above-mentioned submittal, the Park & Recreation Board staff has the following comments:

- The Minnesota Health Village 55+ Development Stage Plan falls under the City's park dedication ordinance requiring a land and/or cash dedication per acre based on the current rate.
- Minnesota Health Village is located within the city's Park Service Area 9. The Park System
 Plan calls for a public Playlot and connecting trails in this area which was satisfied in
 Minnesota Health Village 2nd Addition. The Park Dedication obligation for the proposed
 subdivision is cash.
- This project is a 4-story 55+ apartment building totaling 169 market-rate units. Park dedication fees are based on the 2021 Residential Multi-Dwelling rate of \$3,466 per unit. The park dedication for Minnesota Health Village 55+ would calculate as follows:

169 Multi-dwelling units x \$3,466/unit = \$585,754

General:

- The recommendations above are that of the Parks and Recreation staff. Park dedication requirements are acted on by the Parks and Recreation Board at their regularly scheduled monthly meetings and recommended on to the City Council for final approval.
- Applicants may pay the park dedication fee at any time after the final plat has been approved by the City Council and Park Board but it must be paid before the plat is released by the City for filing.
- Park dedication rates are reviewed annually in February by the City Council. The rate is applied at the time the plat is released to the County for filing.

STAFF REPORT TO THE PLANNING COMMISSION May 10, 2021

Village Arbor Lakes Senior Housing Planned Unit Development Non-Residential Concept Stage Plan Amendment Development Stage Plan Amendment Final Plat

Applicant:

Doran Properties Group, LLC

Evan Doran

7803 Glenroy Road, Suite 100 Bloomington, MN 55410

Owner:

Same

Requested Action:

Planned unit development (PUD) concept stage plan amendment, development stage plan amendment and final plat for the purpose of constructing a 201-unit senior building to provide both independent,

assisted living and memory care.

Location:

11751 Arbor Lakes Parkway North

Zoning:

PUD, Planned Unit Development

Adjacent Land

Use and Zoning:

North: High Density Residential; PUD, Planned Unit Development East: RMU – Non-Retail Focus; PUD, Planned Unit Development

South: RMU – Non-Retail Focus; PUD, Planned Unit Development West: RMU – Non-Retail Focus; PUD, Planned Unit Development

Application Received: 60 Day Review Deadline:

April 12, 2021 June 11, 2021

STAFF COMMENTS:

General comments:

- The applicant is requesting PUD concept stage plan amendment and development stage plan amendment approval for a four-story, 201-unit senior living building with a mix of independent living, assisted living and memory care units.
- The site received PUD concept stage plan approval on May 18, 2020 for this use.
- The site received PUD development stage plan approval on September 8, 2020 for at 196-unit, five-story building.

Staff Report to the Planning Commission
Peter Vickerman, Project Manager- X6046
Village Arbor Lakes Senior Housing
Planned Unit Development
Non-Residential Concept Stage Plan Amendment
Development Stage Plan Amendment and Final Plat
May 10, 2021
Page 2

Changes since last approval:

- The applicant must change their plans in order to meet building code requirements related to memory care units.
- They are now proposing the memory care section of the building to be in a one-story wing of the main building, located in the southeast corner of the property.
- The parcel where the memory care wing is now proposed will be incorporated into the main parcel as part of the final plat.
- The remaining area in this quadrant of the Village at Arbor Lakes development is proposed to house a future building with a drive-through, and staff has had preliminary conversations with a bank that is interested in this site.
- The total land area for the senior project is now 4.3 acres. With 201 units, this project has a density of 46 units per acre, consistent with other senior projects in the city.

Other items of note:

- The applicant notes that Ebenezer is the proposed operator of the facility.
- The applicant is continuing to propose a number of amenities in their project including:
 - A multipurpose room
 - Kitchen and dining room
 - Theater
 - Makers space
 - o Club room
 - o Entertainment suite
 - Fitness center
 - o Salon
 - Spa
- The applicant is proposing 43% more overstory trees than code requires and a significant number of shrubs and bushes as well. The members of the Arbor Committee responded that the plan looked good.
- The applicant is proposing an attractive building with a large amount of brick.

Conditions of approval:

• Staff notes that there are a few remaining items identified in the memorandums for the applicant to adjust on their plans. These items can be resolved during the review of the building permit for this project.

Staff Report to the Planning Commission
Peter Vickerman, Project Manager- X6046
Village Arbor Lakes Senior Housing
Planned Unit Development
Non-Residential Concept Stage Plan Amendment
Development Stage Plan Amendment and Final Plat
May 10, 2021
Page 3

STAFF RECOMMENDATION:

Motion to recommend that the City Council direct the City Attorney to draft a resolution and a planned unit development agreement approving The Village Arbor Lakes Senior Housing PUD concept stage plan amendment, development stage plan amendment and final plat, subject to:

- 1. The applicant addressing to the satisfaction of the city any remaining applicable comments contained in the memorandums from:
 - a. The Community & Economic Development Department dated May 4, 2021
 - b. The Water Resources Engineer, dated April 22, 2021
 - c. The Fire Department dated May 5, 2021

The applicant shall acknowledge that Park Dedication requirements are based on staff review and recommendation to the Park and Recreation Board and their subsequent board action. Board meetings are held on the third Thursday of each month.

ATTACHMENTS:

Attachment A: Narrative Attachment B: Location Map

Attachment C: Maps

Attachment D: Memorandums

Attachment A


Doran Properties Group

The Village Senior Housing – Design Narrative

The Village Senior Housing is proposed to be a 201 unit community, comprised of a four story 178-unit Independent/Assisted living component connected to a one story 23-unit Memory Care Unit. The majority of the structure will be wood, while the lower parking level will be concrete construction. Proposed exterior materials include varying colors of face brick, varying colors of cementitious lap siding and glass. The materials used on this building are intended to be very similar to the Reserve at Arbor Lakes development, located directly to the north, although it will have a flat roof in lieu of the pitched roofs on the Reserve. The new building will hug the street front, providing a feel of urban density and a strong street presence. The use of high quality materials will ensure a long, low maintenance life for the building.

The project will provide both Independent and Assisted Living within an "Aging in Place" concept, allowing residents to stay in their home and receive catered care as their needs require. It will also include a secured Memory Care area for residents with enhanced needs.


The project will include an abundance of amenity spaces including a two story lobby with a fireplace, a multipurpose room, kitchen and dining room, theater, makers space, club room, entertainment suite, fitness center, salon and spa. Residents will enjoy the ability to dine and relax on an outdoor patio space. Memory Care residents will have access to a secured Memory Care Garden in addition to an abundance of activity spaces including an indoor gardening space and interactive spaces meant to stimulate the mind and body.



NEIGHBORHOOD LOCATION MAP







T 1.0

COVER SHEET

P1 LEVEL 46279 SF L1 LEVEL 74082 SF L2 LEVEL 53398 SF L3 LEVEL 54888 SF L4 LEVEL 54898 SF GRAND TOTAL: 283535 SF

Total sf Per Floor:

THE VILLAGE SENIOR HOUSING MAPLE GROVE, MN

FINAL DEVELOPMENT PLAN: APRIL 12, 2021

Design Narrative



Doran Properties Group, LLC 7803 Glemroy Road Bloomington, MN 55349 Ph: 612-288-2000	CIVIL andscape Architect; Sambatek 12800 Whitewater Drive, Suite 300 Minnetonka, MN 55343 Ph. 763-476-6010
Architect:	Structural:
Doran Architects, LLC	BKBM Engineers
7803 Glenroy Road	5930 Brooklyn Boulevard
Bloomington, MN 55349	Minneapolis, MN 55429
Ph. 619-288-2000	PH: 763-843-0420

Unit Count

S	Sheet Index
SHEET	SHEET NAME
T 1.0	COVER SHEET
	REGISTERED SURVEY
C1.01	CIVIL TITLE SHEET
C2.01	EXISTING CONDITIONS & REMOVALS PLAN
C3.01	SITE PLAN
C4.01	GRADING AND DRAINAGE PLAN
C6.01	GRADING PLAN
C9.01	EROSION & SEDIMENT CONTROL PLAN
C9.02	DETAILS
C9.03	DETAILS
L1.01	LANDSCAPE PLAN
L1.02	SHRUB PLAN
L1.03	LANDSCAPE DETAILS AND NOTES
A 2.0	LEVEL P1 PLAN
A 2.1	LEVEL L1 PLAN
A 2.2	LEVEL L2 PLAN
A 2.3	LEVEL L3 PLAN
A 2.4	LEVEL L4 PLAN
A 3.1	BUILDING ELEVATIONS
A 3.2	BUILDING ELEVATIONS
A 3.3	ENTRY VIEW
A 3.4	INTERIOR CORNER VIEW
A 3.5	NORTH AND WEST VIEWS

The color of the	200 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Count Beds	5 0					00	0 0 0			0 0 0	000			28 28 6 5		50 66	0 0		00	2		0 0 %							00	
	Processing States of the Control of	Unit Schedule Unit Type	MC Studio + Sunroom MC 1Bed	Studio	1#Bedroom	2 Bedroom	2 + Bedroom		Studo	1+ Bedoom	2 Bedroom	2 + Bedroom		ń	Studio	1Bedroom	2 Bedroom		Level 4 MC Studio	125	Mc I Bed Studio	1Bedroom	1+ Bedroom	2 + Bedroom	9	MC Studio	MC Studio + Sunroom	Studio	1Bedroom	1+Bedroom	2+Bedroom	

SHEET NAME				& REMOVALS PLAN		E PLAN		CONTROL PLAN					ND NOTES									N	VS	
	COVER SHEET	REGISTERED SURVEY	CIVIL TITLE SHEET	EXISTING CONDITIONS	SITE PLAN	GRADING AND DRAINAGE PLAN	GRADING PLAN	EROSION & SEDIMENT CONTROL PLAN	DETAILS	DETAILS	LANDSCAPE PLAN	SHRUB PLAN	LANDSCAPE DETAILS AND NOTES	LEVEL P1 PLAN	LEVEL L1 PLAN	LEVEL L2 PLAN	LEVEL L3 PLAN	LEVEL L4 PLAN	BUILDING ELEVATIONS	BUILDING ELEVATIONS	ENTRY VIEW	INTERIOR CORNER VIEW	NORTH AND WEST VIEWS	
SHEET	T 1.0		C1.01	C2.01	C3.01	C4.01	C6.01	C9.01	C9.02	C9.03	11.01	L1.02	L1.03	A 2.0	A 2.1	A 2.2	A 2.3	A 2.4	A 3.1	A 3.2	A 3.3	A 3.4	A 3.5	



THE VILLAGE SENIOR HOUSING MAPLE GROVE, MINNESOTA














4/12/2021 9:20:13 AM




THE VILLAGE SENIOR HOUSING MAPLE GROVE, MINNESOTA

DORAN RCHITECTURE

BUILDING ELEVATIONS

A 3.1




BUILDING ELEVATIONS

A 3.2


THE VILLAGE SENIOR HOUSING MAPLE GROVE, MINNESOTA

ARCHITECTURE











DOPAN ARCHITECTURE

(1) LEVEL L3 - L4 FLOOR PLAN 1" = 20"-0"







Client
DORAN
MANAGEMENT,
LLC
BROOMINGTON, INT SA19

Project THE VILLAGE SENIOR HOUSING


Location MAPLE GROVE, MN

Certification

Sheet No. Revision

L1.01

20318.26




17 stalls 40 stalls 91 stalls 33 stalls 91 stalls

10 stalls
25 stalls
101 stalls
14 stalls

756-822 stalls

50 stalls



Building Sq. Ft./ Unit No.:

78,620 sf 6,500 sf

Regional Mixed Use (Bank) Regional Mixed Use (Hotel) Regional Mixed Use (Retail) Regional Mixed Use (Retail) Regional Mixed Use (Bank)

180 rooms 13,900 sf 15,700 sf 2,500 sf 5,168 sf 6,128 sf 4,000 sf

Regional Mixed Use (Retail, Restaurant) Regional Mixed Use (Retail, Restaurant)

Neighborhood Commercial (Gas,

tegional Mixed Use (Retail, Restaurant)

Pervious % Pervious

32%

47,021 sf 17,854 sf 2,321 sf

120,596 sf 49,792 sf 91,607 sf 22,671 sf

3.85 ac 1.56 ac 2.12 ac 0.57 ac

59,158 sf

128,022 sf

22% 19%

4.30 ac

14% 17% 20% 22% 23% 22%

22,502 sf 3,209 sf 7,551 sf 11,411 sf 5,426 sf 188,507 sf

16,189 sf 30,202 sf 39,993 sf 17,932 sf 679,220 sf

0.45 ac 0.87 ac 1.18 ac 0.54 ac

134,736 sf

3.61 ac

171 stalls (61 surface)

198 stalls 32-65 stalls

205 stalls

57 stalls

THE VILLAGE ARBOR LAKES - PUD CONCEPT STAGE SUBMITTAL

DORAN COMPANIES



MEMORANDUM

TO:

Village Arbor Lakes Senior Housing Development Stage Plan Amendment

FROM:

Community & Economic Development Department

DATE:

May 4, 2021

SUBJECT:

CED Staff Comments

Staff has the following comments on the Village Arbor Lakes Senior Housing Development Stage Plan Amendment:

Site Plan:

- a. Amend the plan as necessary to resolve the fire access concern along Arbor Lakes Parkway.
- b. Amend the plan to show the westernmost access to Village Drive as a right-out only.
- c. Note that all site adjustments will be the responsibility of the applicant.



12800 Arbor Lakes Parkway, P.O. Box 1180, Maple Grove, MN 55311-6180

FIRE-RESCUE DEPARTMENT

Fire Operations 763-494-6300 763-494-6421 – Fax

Fire Prevention 763-494-6090 763-494-6439-Fax

May 5, 2021

RE: The Village Arbor Lakes Senior Housing Site Plan Review

We have reviewed the revised site plans for The Village Arbor Lakes Senior Housing project and have the following comments:

 Fire Apparatus Access Roads: Approved fire apparatus access roads shall be provided for every facility, building, or portion of a building hereafter constructed or moved into or within the jurisdiction. The fire apparatus access road shall extend to within 150 feet of all portions of the facility or any portion of the exterior wall of the first story of the building as measured by an approved route around the exterior of the building.

Comments:

- Per Comment Response Letter dated 5/4/21, this appears to be met. Future plans must reflect all changes discussed.
- 2. **Design**: Fire apparatus roads shall be designed with a 20 foot width and maintained to support the imposed loads of fire apparatus (77,000 lb. gross weight) and shall be provided with a surface to provide all-weather driving capabilities. Longitudinal grade shall not exceed 6 percent or lateral grade shall not exceed 2 percent. Both grades shall not be used together. Fire apparatus access roads shall be positioned parallel to the side of the building. A 20-foot inside and a 40-foot outside turning radius shall be provided for fire apparatus access roads and approved turnarounds. Dead end fire apparatus access roads in excess of 150 feet in length shall be provided with an approved turn-around. Maple Grove City Code, Chapter 18, Article III.

Comments:

• Per Comment Response Letter dated 5/4/21, this appears to be met. Future plans must reflect all changes discussed.

- 3. Combination Water Service Lines: When the size of the domestic water main installed on combination fire sprinkler/domestic water line in the building exceeds 25% of the size of the combination water service line, the building water usage shall be designed into the hydraulic calculations of the sprinkler system and shall include the lawn irrigation system. Maple Grove City Code, Chapter 18, Article III, Fire Prevention Code, Sec.18-89.
 - i.e. 8" combination service 2-inch domestic maximum.
 - a. In lieu of hydraulically calculating the building domestic water usage and lawn irrigation system, an electric solenoid valve shall be installed on the main domestic side of the service.
 - b. The electric solenoid valve shall be installed immediately after the main valve (before the meter). This valve shall be normally powered open and close on loss of electric power or signal from the automatic fire sprinkler system water flow switch.

Comments:

- This appears to be met.
- 4. **Fire sprinkler water mains**: Fire sprinkler water mains shall be brought into a one-hour fire resistive room with exterior access, a floor drain, and a sidewalk to the public way.
 - a. If the water main enters the basement, the main may be extended to the first floor into a room with the above requirements.
 - b. If undue hardship exists, the fire code official may authorize the use of a yard or wall post indicator valve.

Comments:

- The hydrant that was discussed to be added at the island directly east of the FDC has not been added. The current hydrant is not within 100 feet of the FDC. Please relocate the hydrant shown north of the FDC to its previous position and add the hydrant that was agreed upon at the island. The FDC location shown is acceptable.
- The FDC and the exterior horn/strobe on the wall above the FDC must be readily visible or accessible and not obstructed by trees or bushes. The current plans show these both are obstructed by trees and bushes.
- 5. Water supplies for fire protection: Where a portion of the facility or building hereafter constructed or moved into or within the jurisdiction is more than 150 feet from a hydrant on a fire apparatus road, as measured by an approved route around the exterior of the facility or building, on site fire hydrants and mains shall be provided where required by the code official. Maple Grove City Code, Chapter 18, Article III, Fire Prevention Code.

Comments:

- A hydrant will be required along the Hemlock Lane side. Per Comment Response Letter dated 5/4/21, this appears to be met
- 6. Location of Fire Hydrants and General Requirements: Hydrants shall be located within a reasonable distance from driving surface; five feet minimum from curb (fire department access). If hydrant is located in a safety island and cannot be located back five (5) feet from the curb, the hydrant shall be centered in the safety island. It is the fire department's preference to locate a fire hydrant along the driveway entrance, unless only one fire hydrant is being installed and needs to be located closer to the fire department connection.
 - a. A fire hydrant shall be located within 100 feet of the fire department connection.
 - b. If hydrants are located in front of parking spaces or roadways, a fire lane will be designated in front measuring 10 feet in each direction. MSFC, Section 503.3.
 - c. Fire hydrants and other fire protection equipment must not be obstructed or the view of the equipment blocked. A minimum clearance of five (5) feet shall be provided and maintained around fire hydrants and other fire protection equipment. The full-anticipated growth of the trees and shrubs must be considered when planting. A five (5) foot clearance must be provided when the landscaping reaches maturity. Any landscaping planted should be placed so it will meet the future clearance requirements at maturity. Maple Grove City Code, Chapter 18, Article III, Fire Prevention Code, Section 18-82.
 - d. A minimum of ten (10) feet separation shall be provided between the fire department connection and all utilities.
 - e. Locking fire department connection caps are now required. Contact Fire Inspections for more information.
 - f. Hydrants, gate valves, and valve boxes, etc., and their installation shall be in accordance with City of Maple Grove specifications.

Please contact me if you have any questions.

Sincerely,

Bill Beumer Fire Inspector 763-494-6095 From:

Derek Asche

Cc:

Peter Vickerman

Subject:

Jupe Hale; Jay Murzyn; John Hagen; Kelly Matzke; Derek Asche Village at Arbor Lakes Sr Housing - Water Resources Review

Date: Attachments: Thursday, April 22, 2021 2:04:22 PM Letter of Credit Template 100218.pdf

image002.jpg

Construction Activity Site Inspection Checklist.xlsx

All, please see below for water resource comments on the Village at Arbor Lakes Sr. Housing project.

- 1. Plan set is dated 4/12/21
- 2. A signed copy of the plans is required for approval.
- 3. Permits and/or reviews required:
 - a. City of Maple Grove grading permit if greater than 50 cubic yards of cut/fill. Grading permit application can be found <u>here</u>.
 - i. Grading Permit fee based on area and quantity of cut/fill is required.
 - ii. Grading Surety based on disturbed area is required. Surety can be cash or letter of credit (LOC). If LOC, please follow the format on the attached example and provide me a draft for review and approval by our City Attorney before finalizing the document.
 - iii. Grading permit fee and surety worksheet can be found here.
 - b. NPDES Construction Activity permit
 - c. Shingle Creek Watershed review
 - i. Submit a revised copy of the plans, Shingle Creek Application, and fee to me at the City of Maple Grove and I will forward to the Watershed. Electronic plans are easiest to provide to the watershed.
 - d. A right-of-way permit may be required for work in the right-of-way. Contact Kelly Matzke at 763.494.6365
 - e. A utility permit may be required for watermain, sanitary, or storm sewer. Contact the Building Division at 763.494.6060
- 4. Rate control provided regionally
- 5. Water Quality provided regionally
- 6. Volume control provided regionally
- 7. Provide sheets for the Storm Water Pollution Prevention Plan (SWPPP)
- 8. Provide storm sewer sizing calcs.
- 9. Confirm pipe sizes in Arbor Lakes Parkway North
- 10. Sheet C4.01
 - a. Identify top of wall and bottom of wall elevations for retaining wall
 - i. Wall appears to be 7+ feet in height. A building permit is required.
 - b. Identify emergency overflow for CBMH 106. If not surface flow then other.
 - c. It is recommended that FFE of future building is a minimum of 1.5 feet above critical EOF.

11. Sheet C6.01

a. STMH 100 combines 12" and 27" pipes into a 24" pipe in Arbor Lakes Parkway North. Is pipe size actually 24"? Provide calcs indicating STMH 100 will not surcharge in 10 year storm.

Derek Asche

Water Resources Engineer 763-494-6354 dasche@maplegrovemn.gov



Miscellaneous

CITY OF MAPLE GROVE PLANNING COMMISSION AGENDA JUNE 1, 2021 7:00 P.M.



Due to the COVID-19 pandemic, the Maple Grove Planning Commission is transitioning to an online format for planning commission meetings. Appropriate City of Maple Grove staff and the City Attorney will also be attending online.

For items with a public hearing, comments may be submitted online at https://forms.maplegrovemn.gov/Forms/public-comment and will be read during the public hearing.

If you desire to speak at the meeting contact Community & Economic Development at 763-494-6040.

1. **OPENING BUSINESS**

- A. Call to Order
- B. Pledge of Allegiance
- C. Roll Call

2. ADDITIONS OR DELETIONS TO AGENDA

Any Commissioner who wishes to delete item(s) from the Consent Agenda or add item(s) to the agenda shall move that at this time.

- 3. <u>CONSENT ITEMS</u> All matters listed under Consent Items are considered to be routine by the Planning Commission and will be enacted by one motion and in the form listed below. There may be an explanation, but no separate discussion on these items. If discussion is desired, that item will be removed from the Consent Items and will be considered separately.
 - A. Minutes Regular Meeting May 10, 2021

4. <u>CONSIDERATION OF ITEMS PULLED FROM THE AGENDA</u>

5. <u>UPDATE ON CITY COUNCIL MEETING</u>

6. **OLD BUSINESS**

No items to present.

7. **NEW BUSINESS**

PH A. Crocus Grove

Pulte Group

15024 Territorial Road

Planned Unit Development (PUD) residential concept stage plan, development stage plan, preliminary plat, rezoning and administrative lot division for the purpose of a single-family residential development consisting of 52 lots. Received 04/26/2021, Jesse Corrow

PH B. Crew Carwash

Crew Carwash Inc.

13370 Grove Drive North

Planned Unit Development (PUD) non-residential concept stage plan amendment and development stage plan for the purpose of constructing a carwash.

Received 04/08/2021, Jesse Corrow

8. <u>ADJOURNMENT</u> – All items acted on by the Planning Commission will be forwarded to the City Council for action at their next regularly scheduled meeting.